

AT-010

< Features

- ▶ This product adopts an automatic flow direction control device and a coordinate adjustment system.
- ▶ It equips an "oil circulation flow rate" window.
- ▶ It relies on the transmission itself and the switch to change oil and automatically switches oil absorption after the oil change.
- ▶ It can protect the automatic transmission most effectively, ensure the same amount of exchange.
- ▶ It can remove the sludge and metal shavings inside the transmission.

< Technical Parameter

- ▶ Pneumatic/Electric: DC 12V
- ▶ Power: 120W
- ▶ Working pressure: 0-60PSI
- ▶ Weight: 41kg
- ▶ Size: 60×42×100cm



AT-020

AT-020 automatic ATF changer cleans and changes the fluid in the gearbox, solves the problem of incomplete replacement when manually changing the transmission oil. Equipped with high-precision electronic flowmeter, it can identify the inlet and outlet direction of oil automatically.

Function	Fully automatic identification of oil inlet and outlet direction	▪
	High-precision electronic flowmeter detection	▪
	Fully automated replacement of new and old oil	▪
	Automatic transmission cycle cleaning	▪
	Automatic filling	▪
	Automatically reduce the automatic transmission oil	▪
	Visual display of transmission radiator oil pressure	▪
	The latest "standard oil quantity of each model" database	/
	Regular maintenance	/
	Electronic scale one-key clear	/
	New and old oil temperature display	/
	New oil heating	/



Technical Parameter

- ▶ Working temperature: -10~+40°C
- ▶ Relative humidity: <85%
- ▶ Voltage: DC12V
- ▶ Maximum power: 150W
- ▶ Equivalent replacement error: $\pm 0.01L$
- ▶ Oil pipe: 2.5m
- ▶ Oil return pipe: 2.5m
- ▶ Oil drainpipe: 1.5m
- ▶ Oil tank: 25L
- ▶ Language: Chinese, English
- ▶ Net weight: 57KG
- ▶ Size: 64×55×100cm

AT-030

AT-030 automatic ATF changer cleans and changes the fluid in the gearbox, solves the problem of incomplete replacement when manually changing the transmission oil. Equipped with high-precision electronic flow meter, it can identify the inlet and outlet direction of oil automatically.

Function	Fully automatic identification of oil inlet and outlet direction	▪
	High-precision electronic flowmeter detection	▪
	Fully automated replacement of new and old oil	▪
	Automatic transmission cycle cleaning	▪
	Automatic filling	▪
	Automatically reduce the automatic transmission oil	▪
	Visual display of transmission radiator oil pressure	▪
	The latest "standard oil quantity of each model" database	▪
	Regular maintenance	▪
	Electronic scale one-key clear	▪
	New and old oil temperature display	/
	New oil heating	/



7 inches touch screen
Printer optional

Technical Parameter

- ▶ Ambient temperature: -10~+40°C
- ▶ Equal exchange error: ±0.01L
- ▶ Relative humidity: <85%
- ▶ Voltage: DC12V
- ▶ Maximum power: 150W
- ▶ Oil pipe: 2.5m
- ▶ Oil return pipe: 2.5m
- ▶ Oil drainpipe: 1.5m
- ▶ Oil tank: 20L × 2
- ▶ Language: Chinese, English, German
- ▶ Net weight: 58kg
- ▶ Size: 65×57×116cm



AT-040

AT-040 automatic ATF changer cleans and changes the fluid in the gearbox, solves the problem of incomplete replacement when manually changing the transmission oil. Equipped with high-precision electronic flowmeter, it can identify the inlet and outlet direction of oil automatically.

Function	Fully automatic identification of oil inlet and outlet direction	▪
	High-precision electronic flowmeter detection	▪
	Fully automated replacement of new and old oil	▪
	Automatic transmission cycle cleaning	▪
	Automatic filling	▪
	Automatically reduce the automatic transmission oil	▪
	Visual display of transmission radiator oil pressure	▪
	The latest "standard oil quantity of each model" database	▪
	Regular maintenance	▪
	Electronic scale one-key clear	▪
	New and old oil temperature display	/
	New oil heating	/



10 inches touch screen
With printer

Technical Parameter

- ▶ Ambient temperature: -10~+40°C
- ▶ Equal exchange error: $\pm 0.01L$
- ▶ Relative humidity: <85%
- ▶ Voltage: DC12V
- ▶ Maximum power: 150W
- ▶ Oil pipe: 2.5m
- ▶ Oil return pipe: 2.5m
- ▶ Oil drainpipe: 1.5m
- ▶ Oil tank: 20L × 2
- ▶ Language: Chinese, English, German, Spanish
- ▶ Net weight: 58kg
- ▶ Size: 76×66×127cm
- ▶ With printer

AT-050

AT-050 automatic ATF changer cleans and changes the fluid in the gearbox, solves the problem of incomplete replacement when manually changing the transmission oil. Equipped with high-precision electronic flowmeter, it can identify the inlet and outlet direction of oil automatically.

Function	Fully automatic identification of oil inlet and outlet direction	▪
	High-precision electronic flowmeter detection	▪
	Fully automated replacement of new and old oil	▪
	Automatic transmission cycle cleaning	▪
	Automatic filling	▪
	Automatically reduce the automatic transmission oil	▪
	Visual display of transmission radiator oil pressure	▪
	The latest "standard oil quantity of each model" database	▪
	Regular maintenance	▪
	Electronic scale one-key clear	▪
	New and old oil temperature display	▪
	New oil heating	▪



10 inches touch screen
With printer

Technical Parameter

- ▶ Ambient temperature: -10~+40℃
- ▶ Equal exchange error: ±0.01L
- ▶ Relative humidity: <85%
- ▶ Voltage: DC12V
- ▶ Maximum power: 150W
- ▶ Oil pipe: 2.5m
- ▶ Oil return pipe: 2.5m
- ▶ Oil drainpipe: 1.5m
- ▶ Oil tank: 20L × 2
- ▶ Language: Chinese, English, German, Spanish
- ▶ Net weight: 58kg
- ▶ Size: 69×61×116cm
- ▶ With printer

