SPACE-SAVING MANAGEMENT EXPERT


Convenient and efficient ■ Reasonable space optimization
Sturdy and durable ■ Improve work efficiency

Flexible and Rearrangeable ● Customization Available ● Quality Guaranteed

Equipment subject to change without notice. This catalogue is for reference only the actual products serve as standard(2024 version)



2024 | MODULAR WORKSHOP STATION



FY-TECH ZHUHAI FLY-EAGLE ELECTRICAL APPLIANCE CO.,LTD.

Http://www.zhfeiying.com
Email: zhfy-001@vip.163.com

About us



COMPANY PROFILE

Zhuhai Fly-Eagle Electrical Appliance Co Ltd has been awarded the "Zhuhai Science and Technology Enterprise" and "Zhuhai Credible Enterprise" awards as well as being a trustee of the "China Automobile Maintenance Equipment Association". We have our own factory with building area 65,000 square meters and eight branches all over China.

With abundant technology capabilities, advanced production and testing equipment, we have obtained the Quality Management and Quality Assurance ISO9001:2015, the China Compulsory Certification CCC, and the European Union CE Certification and Exterior Design Patent. Our products are strictly designed in accordance with international IEC and National GB Standards. Our products are also used and recommended by the 4S Service Shops of 35 well known automobile manufacturers. We rely on outstanding product quality, advanced technology, excellent after sales service and professional management. Zhuhai Fly-Eagle Electrical Appliance Co. Ltd has therefore gained a reputation for high quality products. We also maintain a long lasting OEM business relationship with many overseas customers to create international quality.


Based on a development policy of innovation, progressiveness and professionalism, Zhuhai Fly-Eagle Electrical Appliance is fully devoted to the automobile maintenance equipment industry. The "FY-TECH" international brand is synonymous with our principle of a lifetime of use.













Mission Spirit Strategy

NO MATTER WHEN AND WHERE,
WE WILL ALWAYS BE AT YOUR SIDE















For The Garages Of the 21st Century

Suitable for a variety of automotive 4S shops, car manufacturing, maintenance workshops, auto beauty shops, automotive modification, and etc.

Break away from the traditional unorganized workshop and change into a modern and optimally managed 4S shop.
A bright and organized workshopwill help to win and keep customers.







Whenever and wherever you need to improve your workshop, FY–TECH will be your reliable partner to turn your ideas into reality. Drawing from years of experience, FY–TECH has the expertise to design and plan your workshop from the earliest stages. You can add our tool cabinets to your garage and turn your work space into a stunning, functional garage with minimum effort.

CREATIVE AND TECHNOLOGICAL INNOVATION

SPACE-SAVING MANAGEMENT EXPERT

Convenient and efficient ■ Reasonable space optimization
Sturdy and durable ■ Improve work efficiency



FY-TECH TOOL CABINET SERIES

MODULAR TOOL CABINET SOLUTIONS

CLIENTS' TYPICAL PROJECTS









































FY-7711GL

Flexible and Rearrangeable • Customization Available• Quality Guaranteed




- FY-TECH Modular Workshop Station adopts flexible modular design with a variety of storage units that consist of cabinets with selected elements of standard sizes for different combinations.This modular workshop station is specifically designed to maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.Heavy-duty steel structure with one piece die-casting molding and available in a variety of colors ensuring it can fit with anyone's style.The modular units can be customized based on your need.
- Double-door cabinet: Built-in steel shelves for storing items with various sizes and weights.Cabinet with independent lock.
- Hanging wall cabinet: With independent lock and gas strut,easy to open and close.
- Peg board: Perforated panel with power socket provide additional storage space for tools,strong load-bearing and standard size perforated for all hooks.
- Tool trolley: Equipped with centralized control lock.Different size drawers are used to meet the space requirement of different size tools.
- Tool cabinet:Large capacity,strong load-bearing,centralized control lock. Customized pad for drawers are available as an option.
- Trash cabinet: Built-in trash bin and towel roll holder.Easy to clean.
- Hose reel cabinet: All in one design with air reel + electric reel to meet your needs. No need to buy a separate cabinet.
- Countertop: Solid wood or stainless steel is available as option for the countertop.



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available




Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

RIGOROUS SCIENTIFIC RESEARCH AND DEVELOPMENT PHILOSOPHY

A good design is the key element to improve practical function and additional value in the products. With a large number of professional, skillful and experienced technical developers, the Research and Development of FY-TECH is a team full of progressive and innovative spirit. FY-TECH has had many years experience in developing and producing tool cabinets. With market and customer feedback as the guidance, we are keeping up with constant innovation and competitiveness.
There is a core principle that FY-TECH will apply to all tool carts and cabinets, “Reasonable Space Optimization and Improved Work Efficiency”, providing a convenient and organized working space and environment. Storage and use of hand tools can become simple, easy and fast. With high strength structure, molding technology and surface treatment technique, these not only give the cabinet a smooth look, but also make them more durable and fit for complicated workshops.

"TRANSFORMERS" IN MODULAR WORKSTATIONS AND TOOL CABINETS






FY-7728G

Material thickness:1.0-2.0mm
Overall dimensions: 5670x570x2060mm


Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

DIFFERENT INDUSTRIES/EXCLUSIVE CUSTOMIZATION/FLEXIBLE EXPANSION



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7705DJ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



FY-7714GDL

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 10000x570x2060mm

Structural features

- High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
- Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
- Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
- Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
- Adopting international advanced locking device, to ensure the safety of items.
- Drawers of different heights can be freely chosen to fully meet the needs of customers.
- The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
- A variety of surface colors to meet the user's overall arrangement requirements.



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7705DJ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702A
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm




Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm




FY-7715GU

Color RAL 7040 RAL 7045 RAL 3020 RAL 5009 RAL 7012 RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 10170x570x2060mm

CUSTOMIZE YOUR OWN SPACE FOR TOOLING



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7708DZ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x440mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7705DJ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7709DZ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



BEAUTIFUL DESIGN•EXCELLENT QUALITY

FY-7711G

Color RAL 7040 RAL 7045 RAL 9005 RAL 5009 RAL 7012 RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 5670x570x2060mm



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7705DJ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



FY-7711GL


Material thickness:1.0-2.0mm
Overall dimensions: 7940x570x2060mm

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017



Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7708DZ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x440mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7705DJ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7709DZ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm




Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



FY-7710GA

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017


Material thickness:1.0-2.0mm
Overall dimensions: 7070x570x2060mm



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

Movable, customizable, high load bearing and anti deformation

- FY-TECH Modular Workshop Station adopts flexible modular design with a variety of storage units that consist of cabinets with selected elements of standard sizes for different combinations.This modular workshop station is specifically designed to maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.Heavy-duty steel structure with one piece die-casting molding and available in a variety of colors ensuring it can fit with anyone's style.The modular units can be customized based on your need.
- Double-door cabinet: Built-in steel shelves for storing items with various sizes and weights.Cabinet with independent lock.
- Hanging wall cabinet: With independent lock and gas strut,easy to open and close.
- Peg board: Perforated panel with power socket provide additional storage space for tools,strong load-bearing and standard size perforated for all hooks.
- Tool trolley: Equipped with centralized control lock.Different size drawers are used to meet the space requirement of different size tools.
- Tool cabinet:Large capacity,strong load-bearing,centralized control lock. Customized pad for drawers are available as an option.
- Trash cabinet: Built-in trash bin and towel roll holder.Easy to clean.
- Hose reel cabinet：All in one design with air reel + electric reel to meet your needs. No need to buy a separate cabinet.
- Countertop: Solid wood or stainless steel is available as option for the countertop.



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GB
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-8720H
Material thickness:1.0-2.0mm
Overall dimensions: 700x593x2060mm
Horizontal or tilted shelves are optional and must be specified when ordering.



FY-7710GB

Color RAL 7040 RAL 7045 RAL 3020 RAL 5009 RAL 7012 RAL 9017


Material thickness:1.0-2.0mm
Overall dimensions: 7140x570x2060mm



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

MODULAR DESIGN • VARIOUS COMBINATIONS



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm




Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.






The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

FY-7790GA

Material thickness:1.0-2.0mm
Overall dimensions: 6370x570x2060mm

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm




Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-8710H
Material thickness:1.0-2.0mm
Overall dimensions: 700x593x2060mm
Horizontal or tilted shelves are optional and must be specified when ordering.



FY-7790GB

Material thickness:1.0-2.0mm
Overall dimensions: 6440x570x2060mm


Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

Modular design, flexible and rearrangeable installation sequence

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7705DJ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GB
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm




Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-8720H
Material thickness:1.0-2.0mm
Overall dimensions: 700x593x2060mm
Horizontal or tilted shelves are optional and must be specified when ordering.



FY-7798G

Material thickness:1.0-2.0mm
Overall dimensions: 5670x570x2060mm


Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

Structural features

- Thickened cold–rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco–friendly spay coating process,the cabinets are non– fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One–piece stamping molding to enhance the load–bearing of the drawer.Slide rail with anti–drop buckle offers safe,reliable and smooth sliding drawer.
- User–friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter–free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-8710H
Material thickness:1.0-2.0mm
Overall dimensions: 700x593x2060mm
Horizontal or tilted shelves are optional and must be specified when ordering.



FY-7797G

Color RAL 7040 RAL 7045 RAL 3001 RAL 5009 RAL 7012 RAL 9017


Material thickness:1.0-2.0mm
Overall dimensions: 4970x570x2060mm



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

- FY-TECH Modular Workshop Station adopts flexible modular design with a variety of storage units that consist of cabinets with selected elements of standard sizes for different combinations.This modular workshop station is specifically designed to maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.Heavy-duty steel structure with one piece die-casting molding and available in a variety of colors ensuring it can fit with anyone's style.The modular units can be customized based on your need.
- Double-door cabinet: Built-in steel shelves for storing items with various sizes and weights.Cabinet with independent lock.
- Hanging wall cabinet: With independent lock and gas strut,easy to open and close.
- Peg board: Perforated panel with power socket provide additional storage space for tools,strong load-bearing and standard size perforated for all hooks.
- Tool trolley: Equipped with centralized control lock.Different size drawers are used to meet the space requirement of different size tools.
- Tool cabinet:Large capacity,strong load-bearing,centralized control lock. Customized pad for drawers are available as an option.
- Trash cabinet: Built-in trash bin and towel roll holder.Easy to clean.
- Hose reel cabinet : All in one design with air reel + electric reel to meet your needs. No need to buy a separate cabinet.
- Countertop: Solid wood or stainless steel is available as option for the countertop.



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GB
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm




Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-8720H
Material thickness:1.0-2.0mm
Overall dimensions: 700x593x2060mm
Horizontal or tilted shelves are optional and must be specified when ordering.



FY-7790GC

Material thickness:1.0-2.0mm
Overall dimensions: 5810x570x2060mm

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

A variety of options are available to provide you with a fully functional storage solution


- Adapt to a wider range of working environments and meet your various needs.
- Using thickened heavy-duty steel plate offers sturdy and durable structure with high load-bearing capacity and not easy to be deformed.
- Eco-friendly powder spraying with strong adhesion, smooth and flat surface , wear-resistant and rust-resistant.



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-8720H
Material thickness:1.0-2.0mm
Overall dimensions: 700x593x2060mm
Horizontal or tilted shelves are optional and must be specified when ordering.

Structural features

- Thickened cold–rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco–friendly spay coating process,the cabinets are non– fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One–piece stamping molding to enhance the load–bearing of the drawer.Slide rail with anti–drop buckle offers safe,reliable and smooth sliding drawer.
- User–friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter–free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.




CHOOSE US TO SAY GOODBYE TO CLUTTER



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



FY-7780GB

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 5670x570x2060mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




FY-7770GA

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 4970x570x2060mm


MODULAR DESIGN VARIOUS COMBINATIONS



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




FY-7770GB

Material thickness:1.0-2.0mm
Overall dimensions: 4970x570x2060mm

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017


MODULAR DESIGN, FLEXIBLE AND REARRANGEABLE INSTALLATION SEQUENCE



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7705DJ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.

Structural features

- Thickened cold–rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco–friendly spay coating process,the cabinets are non– fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One–piece stamping molding to enhance the load–bearing of the drawer.Slide rail with anti–drop buckle offers safe,reliable and smooth sliding drawer.
- User–friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter–free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



FY-7760G

Material thickness:1.0-2.0mm
Overall dimensions: 4270x570x2060mm

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017




Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm


PRECISION WORKMANSHIP EXTRAORDINARY QUALITY



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.

Structural features


- High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
- Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
- Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
- Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
- Adopting international advanced locking device, to ensure the safety of items.
- Drawers of different heights can be freely chosen to fully meet the needs of customers.
- The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
- A variety of surface colors to meet the user's overall arrangement requirements.



FY-7750G

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017


Material thickness:1.0-2.0mm
Overall dimensions: 3570x570x2060mm



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm

Structural features


- High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
- Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
- Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
- Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
- Adopting international advanced locking device, to ensure the safety of items.
- Drawers of different heights can be freely chosen to fully meet the needs of customers.
- The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
- A variety of surface colors to meet the user's overall arrangement requirements.



FY-7740G

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017


Material thickness:1.0-2.0mm
Overall dimensions: 2870x570x2060mm



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm









Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm

Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.

Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.

Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.




FY-7730G

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 2100x570x2060mm


MODULAR DESIGN, FLEXIBLE AND REARRANGEABLE INSTALLATION SEQUENCE



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7704GE
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7704GD
Material thickness:1.0-2.0mm
Overall dimensions: 700x280x440mm



Model NO : FY-7701G3
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.




Model NO : FY-7701G2
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.



Model NO : FY-7701G1
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x2060mm
Note: One-piece or two-piece cabinets are optional and must be specified when ordering.

Structural features

- High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
- Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
- Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
- Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
- Adopting international advanced locking device, to ensure the safety of items.
- Drawers of different heights can be freely chosen to fully meet the needs of customers.
- The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
- A variety of surface colors to meet the user's overall arrangement requirements.



Assembled tool cabinets with pegboards

FY-3010

Color RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

Technical Data

- Overall dimensions (L×W×H): 5500×860×2200mm.
- Roller shutter (W×H): 1800×1370mm.
- The first layer (one-piece) (L×W): 1390mm×5500mm.
- The second, third and fourth layer is a multi-piece design, four pieces per layer with the ability to slide left and right.
- Modular construction which is assembled in two parts.
- Upper part (L×W×H): 5500×860×1420mm.
- Lower part (L×W×H): 5500×860×780mm.
- The whole frame structure is made by extrusion molding with 3mm of aluminium alloy sheet, which increases the durability of the paint finish to 2 to 3 times that of ordinary paint.
- The height of the feet are adjustable to allow the cabinet to be positioned in various places.

Assembled tool cabinets with pegboards


Color RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017



FY-1010G



Roller shutter is made of aluminium, molded with extrusion technique. Each roller shutter operates and locks independently.



Complete with sliding pegboards which can conveniently slide left and right.




The mute ball bearings in the runners with less noise, higher loading capacity and higher durability.

Technical Data

- Overall dimensions (L×W×H): 1830×860×2200mm.
- Roller shutter (W×H): 1800×1370mm.
- The first layer (one-piece) (L×W): 1390mm×18300mm.
- The second, third and fourth layer is a multi-piece design, four pieces per layer with the ability to slide left and right.
- Modular construction which is assembled in two parts.
- Upper part (L×W×H): 1830×860×1420mm.
- Lower part (L×W×H): 1830×860×780mm.
- The whole frame structure is made by extrusion molding with 3mm of aluminium alloy sheet, which increases the durability of the paint finish to 2 to 3 times that of ordinary paint.
- The height of the feet are adjustable to allow the cabinet to be positioned in various places.






The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm

FY-3013DU

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 9310x570x2060mm

"TRANSFORMERS" IN MODULAR WORKSTATIONS AND TOOL CABINETS



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7709DZ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



FY-3090DL

Color RAL 7040 | RAL 7045 | RAL 9005 | RAL 5009 | RAL 7012 | RAL 9017


Material thickness:1.0-2.0mm
Overall dimensions: 6440x570x2060mm



FY-3090D

Color RAL 7040 | RAL 7045 | RAL 9005 | RAL 5009 | RAL 7012 | RAL 9017


Material thickness:1.0-2.0mm
Overall dimensions: 2100x570x2060mm



The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



Optional solid wood and stainless steel countertop is available



Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

Modular design, flexible and rearrangeable installation sequence

- Adapt to a wider range of working environments and meet your various needs.
- Using thickened heavy-duty steel plate offers sturdy and durable structure with high load-bearing capacity and not easy to be deformed.
- Eco-friendly powder spraying with strong adhesion, smooth and flat surface , wear-resistant and rust-resistant.



Model NO : FY-7706DE
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7706DS
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm




Model NO : FY-7705DJ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-707DA
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-8730H
Material thickness:1.0-2.0mm
Overall dimensions: 680x30x355mm



Model NO : FY-7709DZ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7702DQ
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-7703DL
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm

Vertical Close Type Tool Cabinets

Structural features


- Cabinet structure is made of quality materials using the molding technique to ensure the construction is unrivaled.
- Vertical panels with pegboard designs allow you to hang tools and various other items.
- Ergonomically designed handle with aluminium alloy materials, convenient and durable.
- The upper and lower ball-bearing slides are designed in accordance with the CG industrial bearing design for easy and flexible movement of the drawers. Loading capacity for each pegboard is 200kg.
- The surface is treated with an ultraviolet electrostatic coating for an attractive finish which is also durable.




FY-6H

Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017


Material thickness:1.0-2.0mm
Overall dimensions: 2050x1120x2150mm



Wheels at the bottom have large loading capacity and move smoothly.



Each pegboard cabinet is equipped with an independent security lock.



Independent and closed drawing pegboard is dust-proof and durable.



FY-5H

Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 1740x1120x2150mm




FY-4H

Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 1430x1120x2150mm

Metal Wall Storage Tool Pegboard



FY-8010L

Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

Material thickness:1.0-2.0mm
Overall dimensions: 1195x20x460mm

Structural features

- Stamping forming by die-casting mould at one time with galvanized steel.
- Precise hole sites allow to organize hooks in many layouts depends on needs.
- The back of the board with reinforcement. Strong and durable.
- Suitable for workshops, warehouses, auto detailing shops,..etc.



FY-3070

Material thickness:1.0-2.0mm
Overall dimensions: 5620x600x1080mm

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

Multifunctional assembled tool cabinets



Model NO : FY-707DC
Material thickness:1.0-2.0mm
Overall dimensions: 700x540x950mm



Model NO : FY-3070DC
Material thickness:1.0-2.0mm
Overall dimensions: 1010x600x1080mm



Model NO : FY-3070DS
Material thickness:1.0-2.0mm
Overall dimensions: 900x600x1080mm



Model NO : FY-3070DL
Material thickness:1.0-2.0mm
Overall dimensions: 900x600x1080mm

Structural features

- The entire cabinet is made of high quality material by molding techniques for the entire cabinet.
- The four corner columns are made of aluminium alloy materials by the one-time extrusion molding technique, strong and durable.
- Top tray is easy to clean.
- Drawers are equipped with heavy duty stack-up ball-bearing slides for a longer service life and stronger extension ability, which allows drawers able to be opened to 100% of their length.
- With an advanced central lock system.
- Safety lock systems for each drawer to prevent it from being accidentally opened.
- One-piece design consisting of computer cabinet, tool cabinets, accessories cabinets and waste cabinets for a tidy and organized repair workshop.



型号/Model NO : FY-3070GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 600x600x1740mm





FY-786XL



FY-783XL


FY-780XL

Material thickness:1.0-2.0mm
Overall dimensions: 1490x540x1573mm

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

SUITABLE FOR A WIDE RANGE OF APPLICATIONS

- Adapt to a wider range of working environments and meet your various needs.
- Using thickened heavy-duty steel plate offers sturdy and durable structure with high load-bearing capacity and not easy to be deformed.
- Eco-friendly powder spraying with strong adhesion, smooth and flat surface , wear-resistant and rust-resistant.



Rigorous Scientific Research and Development Philosophy

A good design is the key element to improve practical function and additional value in the products. With a large number of professional, skillful and experienced technical developers, the Research and Development of FY-TECH is a team full of progressive and innovative spirit. FY-TECH has had many years experience in developing and producing tool cabinets. With market and customer feedback as the guidance, we are keeping up with constant innovation and competitiveness.

There is a core principle that FY-TECH will apply to all tool carts and cabinets, “Reasonable Space Optimization and Improved Work Efficiency”, providing a convenient and organized working space and environment. Storage and use of hand tools can become simple, easy and fast. With high strength structure, molding technology and surface treatment technique, these not only give the cabinet a smooth look, but also make them more durable and fit for complicated workshops.

FY-TECH TOOL CABINET SERIES

Convenient and efficient ■ Reasonable space optimization
Sturdy and durable ■ Improve work efficiency




CREATIVE AND TECHNOLOGICAL INNOVATION

SPACE-SAVING MANAGEMENT EXPERT

Convenient and efficient ■ Reasonable space optimization
Sturdy and durable ■ Improve work efficiency

FY-TECH TOOL CABINET SERIES



FOR THE GARAGES OF THE 21ST CENTURY

Break away from the traditional unorganized workshop and change into a modern and optimally managed 4S shop. A bright and organized workshop will help to win and keep customers.



CONVENIENT. DURABLE. EFFICIENT.

Good design is paramount.The simple,open style and spacious and convenient design is a perfect combination of usability and ruggedness.Additionally,we use superior quality materials and advanced technology to achieve a new standard in the field of tool cabinets.

FY718XXL Two-sided Combined Tool Cabinet





FY718XL

FY718XLH

Over 20 Customized Solutions and Globally Repair Solutions

The brand chosen by more than 35 automakers

Model	Small drawer size	Large drawer size	Overall dimensions	Packing dimensions	Small drawer loading capacity	Large drawer loading capacity	Overall loading capacity	Net weight	Gross weight	Drawer extension	Material thickness
FY718XXL	574x400x72 mm	574x400x150 mm	1185x945x1050 mm	1205x965x1200 mm	50kg	65kg	450kg	230kg	235kg	100%	1.0–2.0mm
FY718XL	574x400x72 mm	574x400x150 mm	1080x530x1010 mm	1100x550x1160 mm	50kg	65kg	450kg	95kg	110kg	100%	1.0–2.0mm
FY718XLH	574x400x72 mm	574x400x150 mm	1080x530x1010 mm	1100x550x1160 mm	50kg	65kg	450kg	95kg	98kg	100%	1.0–2.0mm

Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7016 RAL 9017 .....

MOBILE TOOL CABINETS

RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017 ……

FY718XS



INDUSTRIAL GRADE QUALITY， SATISFY DIFFERENT DEMANDS



※The texture of the solid wood table top is beautiful and generous, chamfering designed four sides are durable
※The tool cabinet adopts 1.2mm cold rolled steel sheet o ensure strength and firmness
※Four wheels (two of them with brake) cabinet are more flexible and load-bearing
※There are three shelves on the front and back of cabinet for easy access and placement of tools
※Each drawer equipped an anti-tilting self-locking system to prevent the drawer opened in accident, ensuring safe use
※The drawer adopts heavy-duty stacking ball slide rail to prolong the service life and extend the extension distance, so that the drawer can be opened 100%



Handle is made of die-cast formed aluminium alloy, exquisite and durable.



There are three layers of racks on the side and back of cabinet



The tool cabinet uses a thick solid wood tabletop



Heavy duty casters with two-way brakes have a loading capacity of 300kg.

Specifications

Model	Large drawer size	Small drawer size	Overall dimensions	Packing dimensions	Small drawer loading capacity	Overall loading capacity	Net weight	Gross weight	Drawer extension	Material thickness
FY718XS	574x400x150 (mm)	574X400X72 (mm)	1080X725X1010 (mm)	1160X805X1060 (mm)	50kg	300kg	115kg	125kg	100%	1.0-2.0 (mm)

RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017 ……

9-SERIES TOOL CABINETS

Create a centre of excellence with ingenious design and advanced techniques

"Designed for your needs" is not only used as an advertising slogan in our pamphlets but they also express our management idea-to do our best and provide you with our unique high quality service.



FY917



Specifications				
Model	FY917	FY916	FY915	FY914
Small drawer size	574x400x72 mm	574x400x72 mm	574x400x72 mm	574x400x72 mm
Large drawer size	574x400x150 mm	574x400x150 mm	574x400x150 mm	574x400x150 mm
Overall dimensions	800x490x1010 mm	800x490x1010 mm	800x490x1010 mm	800x490x1010 mm
Packing dimensions	865x570x940 mm	865x570x940 mm	865x570x940 mm	865x570x940 mm
Small drawer loading capacity	50kg	50kg	50kg	50kg
Large drawer loading capacity	100kg	100kg	100kg	100kg
Overall loading capacity	720kg	720kg	720kg	720kg
Net weight	93kg	90kg	87kg	82kg
Gross weight	109kg	106kg	103kg	98kg
Drawer extension	100%	100%	100%	100%
Material thickness	1.0-2.0mm	1.0-2.0mm	1.0-2.0mm	1.0-2.0mm
Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017 /			



The one-time molded top tray is reinforced and easy to clean.



Molded handles for afinished smooth look and convenient push and pull.



Heavy duty casters with two-way brakes and loading capacity of 600kg



Designed with a holder for work cards on the side of the tool cabinet.



FY916



FY915



FY914

Outstanding designs that will meet your every need

When designing our tool cabinets, our designers use special techniques to combine different materials in a creative wav including mold formed aluminium allov. plastic and sheet metals This ives the cabinets a smooth look and makes them more compact and durable



STURDY AND DURABLE

FY913



Specifications					
Model	FY913	FY912	FY911	FY910	FY909
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)
Overall dimensions	800x485x1400 (mm)	800x485x1400 (mm)	800x485x1400 (mm)	800x485x1400 (mm)	800x485x1010 (mm)
Packing dimensions	865x560x1450 (mm)	865x560x1450 (mm)	865x560x1450 (mm)	865x560x1450 (mm)	865x570x940 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	100kg	100kg	100kg	100kg	100kg
Overall loading capacity	800kg	800kg	800kg	800kg	600kg
Net weight	108kg	105kg	102kg	100kg	88kg
Gross weight	125kg	120kg	115kg	112kg	100kg
Drawer extension	100%	100%	100%	100%	100%
Material thickness	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)
Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 .....



With heavy duty stacked ball-bearing slides,the drawer can be opened to its full length and service life is prolonged.



The one-time molded top tray is reinforced and easy to clean.



Complete with safety lock system for each drawer to prevent the drawers from being accidentally opened.



Optional anti-tilt bracket



FY908



FY909



FY910



FY911


MOBILE TOOL CABINETS

CREATING CONVENIENT STORAGE SPACES WITH INSPIRATION AND CREATIVITY

Whenever and wherever you need to improve your workshop, FY-TECH will be your reliable partner to turn your ideas into reality. Drawing from years of experience, FY-TECH has the expertise to design and plan your workshop from the earliest stages You can add our tool cabinets to your garage and turn your work space into a stunning, functional garage with minimum effort.

Specifications					
Model	FY908	FY907	FY906	FY905	FY904
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	904配抽拉门 574x390mm
Overall dimensions	800x485x1010 (mm)	800x485x1010 (mm)	800x485x1010 (mm)	800x485x1010 (mm)	800x485x1010 (mm)
Packing dimensions	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	100kg	100kg	100kg	100kg	-------
Overall loading capacity	600kg	600kg	600kg	600kg	450kg
Net weight	70kg	68kg	66kg	64kg	62kg
Gross weight	80kg	78kg	76kg	74kg	72kg
Drawer extension	100%	100%	100%	100%	100%
Material thickness	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)
Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017	.....





Handle is made of die-cast formed aluminium alloy, exquisite and durable.



Corners are reinforced with one time extrusion molded aluminium alloy structures.Two reinforcing ribs at the rear panel prevent tool cabinets from vibrating.



Complete with advanced central locking system.



FY912



FY907



Heavy duty casters with two-way brakes with a loading capacity of 800kg



FY906



FY905



FY904

CONVENIENT. DURABLE. EFFICIENT.

Good design is paramount. The simple, open style and spacious and convenient design is a perfect combination of usability and ruggedness. Additionaily, we use superior quality materials and advanced technology to achieve a new standard in the field of tool cabinets.



钣金组工具
Tools for Collision Repair

1




2




3



4



FY907E




FY907EW

Specifications							
Model	FY907E	FY907EW	FY909h	FY908h	FY907h	FY906h	FY905h
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)
Overall dimensions	1170x485x1010 (mm)	1170x485x1000 (mm)	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)
Packing dimensions	1226x570x940 (mm)	1226x570x940 (mm)	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	100kg	100kg	100kg	100kg	100kg	100kg	100kg
Overall loading capacity	600kg	600kg	600kg	600kg	600kg	600kg	600kg
Net weight	110kg	110kg	96kg	93kg	89kg	86kg	83kg
Gross weight	130kg	130kg	108kg	105kg	101kg	98kg	95kg
Drawer extension	100%	100%	100%	100%	100%	100%	100%
Material thickness	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)
Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017	.....




Additional tool compartment is available as an option



Additional pegboard for more convenience and space for tools.



Pegboard is easy to mount or remove.



Complete with an assortment of hooks for use with the metal pegboards.



FY909h



FY908h



FY907h




FY906h

ELEGANT AND STURDY


Specifications							
Model	FY903	FY903B	FY903h	FY903X	FY902h	FY303	FY302
Small drawer size	574x400x72 (mm)	--------	--------	574x400x72 (mm)	--------	--------	--------
Overall dimensions	800x398x855 (mm)	800x383x855 (mm)	950x515x1550 (mm)	935x398x855 (mm)	650x515x1550 (mm)	780x390x855 (mm)	780x390x820 (mm)
Packing dimensions	725x430x750 (mm)	415x350x775 (mm)	970x590x1485 (mm)	1015x478x905 (mm)	670x590x1485 (mm)	725x430x750 (mm)	725x430x750 (mm)
Small drawer loading capacity	50kg	--------	--------	50kg	--------	--------	--------
Overall loading capacity	200kg	180kg	300kg	200kg	260kg	220kg	200kg
Net weight	30kg	22kg	68kg	27.5kg	46kg	32kg	30kg
Gross weight	33kg	24kg	78kg	29kg	56kg	34kg	32kg
Drawer extension	100%	--------	--------	100%	--------	100%	100%
Material thickness	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)
Color	RAL 7040, RAL 7045, RAL 3000, RAL 5009, RAL 7012, RAL 9017 ……						



Handle is made of die-cast formed aluminium alloy, exquisite and durable.



Corner structures are reinforced with one time extrusion molded aluminium alloy for durability.



Screwdriver placement hole and tool storage box on the side of the tool cabinet



Heavy duty casters with two-way brakes have a loading capacity of 300kg.



FY903X

FY903h Tool Cabinet With Pegboard



Mobile tool trolley
FY303



Mobile tool trolley
FY302





Handle is made of die-cast formed aluminium alloy, exquisite and durable.



Corner structures are reinforced with one time extrusion molded aluminium alloy for durability.



Pegboard hooks are capable of accommodating virtually any tool, accessory or object.The socket can be installed to fit European standard plugs.



Heavy duty casters with two-way brakes and loading capacity of 300kg

FY902h



Mobile tool trolley
FY903




Mobile tool trolley
FY903B



8-SERIES TOOL CABINETS

Mobile tool cabinets



One time extrusion molded for a finished smooth look

With OI security locks, usage life of over 50,000 times

Safety lock system prevents the drawers from being accidentally opened

Pegboard design on the side to hang tools and various items

Two reinforcing ribs at the rear panel to prevent vibrations

Replaceable labels

One time extrusion molded aluminium alloy handles for years of durability

Heavy duty ball-bearing slides with a loading capacity of 65kg

Complete with safety pads on the four corners

Heavy duty casters with two-way brakes and a loading capacity of 600kg

Specifications					
Model	FY808	FY807	FY806	FY805	FY804
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	804配抽拉门 574x390mm
Overall dimensions	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)
Packing dimensions	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	65kg	65kg	65kg	65kg	--------
Overall loading capacity	450kg	450kg	450kg	450kg	450kg
Net weight	70kg	68kg	65kg	58kg	55kg
Gross weight	85kg	83kg	80kg	68kg	65kg
Drawer extension	100%	100%	100%	100%	100%
Material thickness	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)
Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017	.....

FY808





Handle is made of die-cast formed aluminium alloy, exquisite and durable.



Complete with advanced central locking system.



Advanced polymer top tray made with the one time cast molding technique to ensure it is firm and durable. The surface of top tray is easy to maintain and clean.



Optional anti-tilt bracket



FY807



FY806



FY805



FY804

FY808h



Specifications				
Model	FY808h	FY807h	FY806h	FY805h
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)
Overall dimensions	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)
Packing dimensions	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg
Large drawer loading capacity	65kg	65kg	65kg	65kg
Overall loading capacity	450kg	450kg	450kg	450kg
Net weight	85kg	81kg	79kg	77kg
Gross weight	95kg	91kg	89kg	87kg
Drawer extension	100%	100%	100%	100%
Material thickness	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)
Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017 ……			



Additional pegboard for more convenience



Complete with safety lock system for each drawer to prevent the drawers from being accidentally opened.



With heavy duty stacked ball-bearing slides,the drawer can be opened to its full length and service life is prolonged.



Heavy duty casters with two-way brakes and loading capacity of 600kg



FY807h



FY806h



FY805h

FY804A

Specifications				
Model	FY804A	FY803A	FY802A	FY802
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	590x435x440 (mm)	590x435x510 (mm)	590x435x590 (mm)	590x435x660 (mm)
Overall dimensions	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)
Packing dimensions	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg
Large drawer loading capacity	--------	--------	--------	--------
Overall loading capacity	450kg	450kg	450kg	450kg
Net weight	57kg	55kg	50kg	47kg
Gross weight	67kg	65kg	60kg	57kg
Drawer extension	100%	100%	100%	100%
Material thickness	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)
Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017 ……			





Handle is made of die-cast formed aluminium alloy,exquisite and durable.



Two reinforcing ribs at the rear panel to prevent tool cabinets from vibrating.



Single door design for large tools



Advanced polymer top tray made with the one time cast molding technique to ensure it is firm and durable. The surface of top tray is easy to maintain and clean.



FY803A



FY802A



FY802


Mobile tool cabinets





RAL External component for option


FY817



Patented anti-tip central lock design - only one drawer can be opened at a time to prevent accidental tipping(Optional).



Optional storage bin is available (optional)



Optional laptop stand and pegboard wall panel are available (optional)



Heavy-duty stacked self-closing slides with longer life prevents drawers from opening accidentally

Safe and Reliable Anti-tip Central Lock System

※Unique patented Anti-tip central lock design - only one drawer can be opened at a time and all drawers can be locked at once by the central locking,which is safer and more efficient.
※Industrial-grade quality with a total load capacity of up to 800kg.The number of drawers can be customized to meet your needs for efficient tool organization.
※Heavy-duty fixed and swivel casters with thickened brake pads and sturdy ball bearings provide smooth and effective braking
※Double thickened slides with buffered opening and closing design.Over 50kg load per drawer
※Both side panels have a pegboard design that can be used with pegboard hooks to save space while keeping items organized.
※One-piece injection-molded tabletop is corrosion and scratch resistant

Specifications											
Model	Small drawer size	Large drawer size	Overall dimensions	Packing dimensions	Small drawer loading capacity	Large drawer loading capacity	Overall loading capacity	Net weight	Gross weight	Drawer extension	Material thickness
FY815	574x400x72 mm	574x400x150 mm	800x500x1020 mm	880x630x920 mm	50kg	50kg	450kg	58kg	68kg	100%	1.0-2.0mm
FY816	574x400x72 mm	574x400x150 mm	800x500x1020 mm	880x630x920 mm	50kg	50kg	450kg	60kg	70kg	100%	1.0-2.0mm
FY817	574x400x72 mm	574x400x150 mm	800x500x1020 mm	880x630x920 mm	50kg	50kg	450kg	62kg	72kg	100%	1.0-2.0mm
FY818	574x400x72 mm	574x400x150 mm	800x500x1020 mm	880x630x920 mm	50kg	50kg	450kg	64kg	74kg	100%	1.0-2.0mm
Color	RAL 7040	RAL 7045	RAL 5009	RAL 5009	RAL 7012	RAL 9017	……				



FY815



FY816



FY817



FY818



Double deck combined tool repair cabinets



FY718XL-MA **FY718XL-MB** **FY718XL-MC**

※It a double-layer combination design tool cabinet, provided variety of colors and structures selected for satisfy different work requirements.
※The texture of the solid wood table top is beautiful and generous, chamfering designed four sides are durable
※The tool cabinet adopts 1.2mm cold rolled steel sheet o ensure strength and firmness
※Four wheels (two of them with brake) cabinet are more flexible and load-bearing
※There are three shelves on the front and back of cabinet for easy access and placement of tools
※Each drawer equipped an anti-tilting self-locking system to prevent the drawer opened in accident, ensuring safe use
※The drawer adopts heavy-duty stacking ball slide rail to prolong the service life and extend the extension distance, so that the drawer can be opened 100%
※The top cabinet has a door lock can place large work

Specifications

Model	Large drawer size	Small drawer size	Overall dimensions	Packing dimensions	Small drawer loading capacity	Overall loading capacity	Net weight	Gross weight	Drawer extension	Material thickness
FY718XL-MA	574x400x150 (mm)	574X400X72 (mm)	1080X725X1510 (mm)	1160X805X1560 (mm)	50kg	300kg	172kg	182kg	100%	1.0-2.0 (mm)
FY718XL-MB	574x400x150 (mm)	574X400X72 (mm)	1080X725X1510 (mm)	1160X805X1560 (mm)	50kg	300kg	147kg	157kg	100%	1.0-2.0 (mm)
FY718XL-MC	574x400x150 (mm)	574X400X72 (mm)	1080X725X1510 (mm)	1160X805X1560 (mm)	50kg	300kg	152kg	167kg	100%	1.0-2.0 (mm)
Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017	……			

Mobile tool cabinets



FY719TP

Specifications					
Model	FY719TP	FY718TP	FY717TP	FY716TP	FY715TP
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)
Overall dimensions	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)
Packing dimensions	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	65kg	65kg	65kg	65kg	65kg
Overall loading capacity	450kg	450kg	450kg	450kg	450kg
Net weight	81kg	79kg	77kg	60kg	58kg
Gross weight	91kg	89kg	87kg	70kg	68kg
Drawer extension	100%	100%	100%	100%	100%
Material thickness	1,0–1,5(mm)	1,0–1,5(mm)	1,0–1,5(mm)	1,0–1,5(mm)	1,0–1,5(mm)
颜色选择 Color	RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017 ……				

With a folding tray for more flexible use of space

※With a folding tray for more flexible use of space..
※Industrial grade quality with a total load capacity of up to 800kg.The number of drawers can be customized to meet your needs for efficient tool organization.
※Heavy–duty fixed and swivel casters with thickened brake pads and sturdy ball bearings provide smooth and effective braking
※Double thickened slides with cushioned opening and closing design.Over 50kg load per drawer
※Both side panels have a pegboard design that can be used with pegboard hooks to save space while keeping items organized.
※One–piece injection–molded tabletop is corrosion and scratch resistant




With a folding tray for more flexible use of space..



Optional storage bin is available (optional)



Heavy duty casters with two-way brakes and loading capacity of 450kg



Complete with an assortment of hooks for use with the metal pegboards



FY718TP



FY717TP



FY716TP



FY715TP



FY712


FY713

FY714

Specifications						
Model	FY717	FY716	FY715	FY714	FY713	FY712
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	---------	---------	---------
Overall dimensions	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)
Packing dimensions	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
Overall loading capacity	450kg	450kg	450kg	450kg	450kg	450kg
Net weight	62kg	60kg	58kg	54kg	51kg	48kg
Gross weight	72kg	70kg	68kg	64kg	61kg	58kg
Drawer extension	100%	100%	100%	100%	100%	100%
Material thickness	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)
Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017					



Equipped with independent burglar lock. Guarantee the safety of the tool



with heavy duty stacked self-priming slides to prolong service life and prevent the drawers from accidentally opened



Heavy duty casters with two-way brakes and a loading capacity of 450kg



With a holder at the side



FY717



FY716



FY715


Specifications						
Model	FY707	FY706	FY705	FY704	FY703	FY702
Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	---------	---------	---------
Overall dimensions	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)
Packing dimensions	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
Overall loading capacity	350kg	350kg	350kg	350kg	350kg	350kg
Net weight	53kg	50kg	48kg	46kg	43kg	40kg
Gross weight	63kg	60kg	58kg	56kg	53kg	50kg
Drawer extension	100%	100%	100%	100%	100%	100%
Material thickness	0.8-1.0 (mm)	0.8-1.0 (mm)	0.8-1.0 (mm)	0.8-1.0 (mm)	0.8-1.0 (mm)	0.8-1.0 (mm)
Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017					



FY701

FY702

FY703




The handle and top cover are formed by one-step injection molding, exquisite and durable.



Heavy duty casters with two-way brakes and a loading capacity of 600kg



The pegboard on one side extends the trolley's functions



With heavy duty stacked ball-bearing slides,the drawer can be opened to its full length and service life is prolonged.



FY707



FY706



FY705



FY704

6-SERIES TOOL CABINETS

※ There are no welding spot on the entire cabinet frame and the cabinet is assembled at a time which ensures the quality and stability of the cabinet.
※ The entire cabinet is made of galvanized antirust materials with aluminium film.
※ The handle and top cover are formed by one-step injection molding, exquisite and durable.
※ Complete with safety lock system for each drawer to prevent the drawers from accidentally opened.
※ With heavy duty stacked ball-bearing slides, the drawer can be opened to its full length and service life is prolonged.



Specifications						
Model	FY618	FY617	FY616	FY615	FY613	FY612
Small drawer size	585x400x70 (mm)	585x400x70 (mm)	585x400x70 (mm)	585x400x70 (mm)	585x400x70 (mm)	585x400x70 (mm)
Large drawer size	585x400x150 (mm)	585x400x150 (mm)	585x400x150 (mm)	585x400x150 (mm)	585x400x150 (mm)	--------
Overall dimensions	910x500x1000 (mm)	910x500x1000 (mm)	910x500x1000 (mm)	910x500x1000 (mm)	910x500x1000 (mm)	910x500x1000 (mm)
Packing dimensions	1000x630x1020 (mm)	1000x630x1020 (mm)	1000x630x1020 (mm)	1000x630x1020 (mm)	1000x630x1020 (mm)	1000x630x1020 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
Overall loading capacity	350kg	350kg	350kg	350kg	350kg	350kg
Net weight	63kg	60kg	57kg	54kg	50kg	47kg
Gross weight	73kg	70kg	77kg	64kg	60kg	57kg
Drawer extension	100%	100%	100%	100%	100%	100%
Material thickness	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)
Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 .....






Complete with safety lock system for each drawer to prevent the drawers from accidentally opened.



The handle and top cover are formed by one-step injection molding, exquisite and durable.



The top tray is made of stainless steel, firm, durable and easy to clean.







6-SERIES TOOL CABINETS

Mobile tool cabinets

Specifications						
Model	FY607	FY606	FY605	FY604	FY603	FY602
Small drawer size	570x400x72 (mm)	570x400x72 (mm)	570x400x72 (mm)	570x400x72 (mm)	570x400x72 (mm)	570x400x72 (mm)
Large drawer size	570x400x150 (mm)	570x400x150 (mm)	570x400x150 (mm)	--------	--------	--------
Overall dimensions	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)
Packing dimensions	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)
Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
Large drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
Overall loading capacity	350kg	350kg	350kg	350kg	350kg	350kg
Net weight	51kg	48kg	45kg	35kg	33kg	30kg
Gross weight	61kg	58kg	55kg	45kg	43kg	40kg
Drawer extension	100%	100%	100%	100%	100%	100%
Material thickness	0,8-1,0 (mm)	0,8-1,0 (mm)	0,8-1,0 (mm)	0,8-1,0 (mm)	0,8-1,0 (mm)	0,8-1,0 (mm)
Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 .....





The handle and top cover are formed by one-step injection molding, exquisite and durable.



Table top is designed with mounting holes to hold screw drivers



The pegboard on one side extends the trolley's functions.



Heavy duty casters with a loading capacity of 350kg.



FY607



FY606



FY605

5-SERIES TOOL CABINETS

Mobile tool cabinets



FY504

Features

※There are no welding spot on the entire cabinet frame and the cabinet is assembled at a time which ensures thequality and stability of the cabinet.
※The whole tool cabinet used antirust coated galvanizing material,incomparable high quality
※The handle and top cover are formed by one–step injection molding, exquisite and durable.
※Each drawer is equipped with a self–back slide rail , which prevents the drawers from opening automatically and ensures safe use.
※With heavy duty stacked ball–bearing slides, the drawer can be opened to its full length and service life is prolonged.



FY503



FY503L



FY504L



Equipped with independent burglar lock. Guarantee the safety of the tool



The pegboard on one side extends the trolley's functions.



The one-time molded top tray is reinforced and easy to clean.

Specifications

Model	Small drawer size	Overall dimensions	Packing dimensions	Small drawer loading capacity	Overall loading capacity	Net weight	Gross weight	Drawer extension	Material thickness
FY503	574x400x72 (MM)	800x500x1000 (mm)	770x570x910 (mm)	50kg	350kg	37kg	47kg	100%	0.8–1.0 (mm)
FY503L	574x400x72 (MM)	800x500x1000 (mm)	770x570x910 (mm)	50kg	350kg	40kg	50kg	100%	0.8–1.0 (mm)
FY504	574x400x72 (MM)	800x500x1000 (mm)	770x570x910 (mm)	50kg	350kg	40kg	57kg	100%	0.8–1.0 (mm)
FY504L	574x400x72 (MM)	800x500x1000 (mm)	770x570x910 (mm)	50kg	350kg	43kg	60kg	100%	0.8–1.0 (mm)

RAL 7040 RAL 7045 RAL 9005 RAL 5009 RAL 7012 RAL 9017 ……

THE THIRD GENERATION OF TIRE REPAIR TOOL TROLLEY

Automobile maintenance equipment designed by FY-TECH for various types of cars

FY-1030

All made of stainless steel and with a service life of up to 10 years.



Systematic operation



A range of operating advantages including time and energy saving, accurate and safe, flexible and convenient - cut your working time by up to 70% and increase your profits.

Specifications	
Model	FY-1030
Rising height	1200mm
Height above ground	500mm
Max tire diameter	790mm
Min tire diameter	490mm
Working pressure	1-5kg/m²
Max load	70kg
Weight	65kg
Dimensions	820x800x1120mm

A high quality machine with unique properties that can cut your working time by up to 70%.

Pressure regulator

Adjust the pressure of gas supply according to the different tools.

Quick adaptors



Various adaptors for easy use with pneumatic tools.

Fully automatic control system



Automatic up and down control system with user friendly design for quick, precise and safe operation.

Brake fluid changer



Optional brake fluid changer can automatically collect brake fluid - convenient, clean and efficient.

Air wrench



Optional high precision LCD tire inflation indicator is equipped with an accurate pressure transducer.

Tool shelves



Designed with multi-layer tool shelves covered with soft mats to prevent tools from slipping.

Digital tire inflation indicator



Optional high precision LCD tire inflation indicator which is equipped with an accurate pressure transducer.

刹车器

Brake



Designed with a positioning brake which allows the trolley to rotate 360°.

Tire holder



Tire holder has a simple design with wheels and brakes that allows easy movement and accurate placement. (Optional)


WORKBENCH

WORKBENCH

Please specify models of table materials when ordering



Stainless Steel Tabletop



Anti-static Tabletop



Log Tabletop




Different table materials are available as options for different uses (specify models when ordering: S for stainless steel, R for anti-static and W for log).
Different peg boards are available as options for different uses (specify D for pegboard with light and H for pegboard without light).

MODE FY-824SH

S is table top model H is pegboard mode







Heavy-duty Repair Workbench

Heavy-duty repair workbenches can be equipped with pegboards, shelves, hooks and tools, combining various purposes.
It can be designed according to customer requirements for special purposes to improve working efficiency.
Suitable for garages, 4S shops, assembly plants, mould factories, machinery factories and general factories.

Workbenches with Pegboards

Color RAL 7040 RAL 7045 RAL 5005 RAL 5009 RAL 7012







Hooks can be moved conveniently on the pegboard to hold different tools.Complete with a tool shelf for placing different tools conveniently



Stainless Steel Tabletop



Anti-static Tabletop




Log Tabletop

Please specify models of table materials when ordering

Different peg boards are available as options for different uses (specify D for pegboard with light and H for pegboard without light).



Model	Material	Dimension
FY-800ESH	Stainless Steel	1512x812x1430(mm)
FY-800ERH	Anti-static	1500x800x1455(mm)
FY-800EWH	Log Tabletop	1500x800x1455(mm)



Model	Material	Dimension
FY-811SH	Stainless Steel	1500x750x1475(mm)
FY-811RH	Anti-static	1500x750x1500(mm)
FY-811WH	Log Tabletop	1500x750x1500(mm)



Model	Material	Dimension
FY-812SH	Stainless Steel	1500x750x1475(mm)
FY-812RH	Anti-static	1500x750x1500(mm)
FY-812WH	Log Tabletop	1500x750x1500(mm)




Model	Material	Dimension
FY-824SH	Stainless Steel	1500x750x1475(mm)
FY-824RH	Anti-static	1500x750x1500(mm)
FY-824WH	Log Tabletop	1500x750x1500(mm)



Model	Material	Dimension
FY-825SH	Stainless Steel	1500x750x1475(mm)
FY-825RH	Anti-static	1500x750x1500(mm)
FY-825WH	Log Tabletop	1500x750x1500(mm)



Model	Material	Dimension
FY-826SH	Stainless Steel	1500x750x1475(mm)
FY-826RH	Anti-static	1500x750x1500(mm)
FY-826WH	Log Tabletop	1500x750x1500(mm)







Hooks can be moved conveniently on the pegboard to hold different tools.Complete with a tool shelf for placing different tools conveniently



Stainless Steel Tabletop | Anti-static Tabletop | Log Tabletop

Please specify models of table materials when ordering
Different peg boards are available as options for different uses (specify D for pegboard with light and H for pegboard without light).

Model	Material	Dimension
FY-801H ES	Stainless Steel	1512x812x1878(mm)
FY-801H ER	Anti-static	1512x800x1900(mm)
FY-801H EW	Log Tabletop	1512x800x1900(mm)
Different specifications are available as user's request		



Model	Material	Dimension
FY-800VS	Stainless Steel	1570x700x800(mm)



Model	Material	Dimension
FY-800LS	Stainless Steel	1900x910x780(mm)



Model	Material	Dimension
FY-800ES	Stainless Steel	1512x812x780(mm)
FY-800ER	Anti-static	1500x800x805(mm)
FY-800EW	Log Tabletop	1500x800x805(mm)

Strengthened table legs for placing heavy machines on.




Oil baffle plate on the edge of the table.



Equipped with a drawer for tools.




Different tabletop materials are available





Stainless Steel Tabletop



Anti-static Tabletop



Log Tabletop

Color



Different table materials are available as options for different uses (specify models when ordering: S for stainless steel, R for anti-static and W for log).
Different peg boards are available as options for different uses (specify D for pegboard with light and H for pegboard without light).





Equipped with advanced central locking system.



Each drawer is equipped with independent anti-tilt self-locking system, ensuring secure use.



Model	Material	Dimension
FY-811S	Stainless Steel	1500x750x825(mm)
FY-811R	Anti-static	1500x750x850(mm)
FY-811W	Log Tabletop	1500x750x850(mm)



Model	Material	Dimension
FY-812S	Stainless Steel	1500x750x825(mm)
FY-812R	Anti-static	1500x750x850(mm)
FY-812W	Log Tabletop	1500x750x850(mm)



Model	Material	Dimension
FY-813S	Stainless Steel	1500x750x825(mm)
FY-813R	Anti-static	1500x750x850(mm)
FY-813W	Log Tabletop	1500x750x850(mm)



Model	Material	Dimension
FY-824S	Stainless Steel	1500x750x825(mm)
FY-824R	Anti-static	1500x750x850(mm)
FY-824W	Log Tabletop	1500x750x850(mm)




Model	Material	Dimension
FY-825S	Stainless Steel	1500x750x825(mm)
FY-825R	Anti-static	1500x750x850(mm)
FY-825W	Log Tabletop	1500x750x850(mm)




Model	Material	Dimension
FY-826S	Stainless Steel	1500x750x825(mm)
FY-826R	Anti-static	1500x750x850(mm)
FY-826W	Log Tabletop	1500x750x850(mm)

Heavy-duty Stainless Workbench for Mechanical Repair





Equipped with standard tool drawer




Different tabletop materials are available


Model	Material	Dimension
FY-810ES	Stainless Steel	1512x812x780(mm)
FY-810ER	Anti-static	1500x800x805(mm)
FY-810EW	Log Tabletop	1500x800x805(mm)
Different specifications are available as user's request		

Heavy-duty Stainless Steel Workbench with Oil Collecting Gutter





Equipped with stainless steel tank to collect wasted oil



Tabletop surrounded completely by oil collecting gutter

Model	Material	Dimension
FY-810LS	Stainless Steel	1900x910x795(mm)
Different specifications are available as user's request		

Heavy-duty Engine Repair Workbench



Tabletop surrounded completely by oil collecting gutter



The engine assembly is bolted to the engine stand firmly and reliably.




Model	Material	Dimension
FY-8150S	Stainless Steel	1514x830x860(mm)
Different specifications are available as user's request		

Heavy-duty Stainless Workbench for Mechanical Repair



Heavy-duty with two-way brake,bearing 450kg.Lower crossbar is available (Optional).



Designed with a pegboard and equipped with hooks, it is easy to organise and quickly find your tools and accessories.The wall mounted shelf is available (Optional).



Reinforced table legs to support heavy machinery



Stainless steel workbench surrounded by oil barrier



Model	Material	Dimension
FY-530A	Stainless Steel	1514x830x860(mm)



Model	Material	Dimension
FY-530AH	Stainless Steel	1514x830x1450(mm)



Model	Material	Dimension
FY-530BH	Stainless Steel	1514x830x1450(mm)

Mobile tool cabinets



FY-810XW

FY-811XW

- S Stainless Steel
- R Anti-static
- W Log Tabletop

Different tabletop materials are available

HIGH LOAD BEARING STEEL FRAME TECHNOLOGY

High Quality Cold-Rolled Steel Plate/Imported Laser Cutting Equipment /Advanced Production Process

※ Solid structure, preferred materials, and reliable quality.
※ High load-bearing frame construction and refined one-piece bending molding.Every detail shows expert craftsmanship
※ Sturdy, high-strength and smooth bench top with high resistance to deformation.
※ Heavy-duty drawers forged from cold steel for effective organization of space classification

Customized overall specifications | Customized combination design | Customized table top material | Customized color matching | Customized load capacity | Customized cabinet combination

Model	Material	Dimension
FY-810XS	Stainless Steel	1608 x540x890mm
FY-810XR	Anti-static	1608 x540x890mm
FY-810XW	Log Tabletop	1608 x540x890mm
Different specifications are available as user's request		

Model	Material	Dimension
FY-811XS	Stainless Steel	1608 x540x890mm
FY-811XR	Anti-static	1608 x540x890mm
FY-811XW	Log Tabletop	1608 x540x890mm
Different specifications are available as user's request		

Heavy-duty Mechanical Repair Workbench



FY-8210ES

One-piece bending molding High-load table frame

Easy to assemble / Easy to disassemble / Adjustable / Customizable / High load-bearing / Anti-deformation

※ The material of workbench is made of high quality cold-rolled steel plate and high quality stainless steel table top, which can make the table top evenly load up to 1500kg.
※ The frame of workbench is solid and stable, which can be used with tool cabinet, pegboard and single door cabinet.
※ The drawer has high load capacity and good performance, and the drawer can be configured with dividers as per demand.
※ Suitable for auto repair, industrial workshop, laboratory, workroom..etc

Model	Material	Dimension
FY-8210ES	Stainless Steel	1800x750x800mm
FY-8210ER	Anti-static	1800x750x800mm
FY-8210EW	Log Tabletop	1800x750x800mm
Different specifications are available as user's request		

Sturdy and durable.The loading capacity is more than you can imagine



Stainless Steel Tabletop



Anti-static Tabletop



Log Tabletop

Modular design of workstations - where flexibility is the focus: whether it is narrow or wide, short or high or movable. A wide range of modules can be used to design your workstation according to your actual needs. A variety of functions are available for you to choose.
If you can imagine it,we can make it.



Drawers: with rollers made of Delrin 100 - load capacity up to 100kg. Drawer inner walls are slotted for partitions,enabling optimum usage of the drawer space.



FY-8215EW



Beech wood laminate, non-deforming, waterproof and varnished.

Eluplan plastic covering with full ABS edge band.

Locking system: Cylinder pin lock with the design of 5 variable pin settings,compatible with electronic locking system.



FY-8216EW

By the screwed connection,the legs can be connected to form an assembled unit as a whole.

FY-TECH

Note book

Note book

Http：//www. zhfeiying. com
E–mail：zhfy–001@vip. 163. com