便捷式空间管理专家
SPACE-SAVING MANAGEMENT EXPERT

便利快捷 ■ 合理空间优化 ■ 坚固耐用 ■ 提升工作效率

Convenient and efficient ■ Reasonable space optimization
Sturdy and durable ■ Improve work efficiency

随意组合 • 支持定制 • 品质保障

Flexible and Rearrangeable • Customization Available • Quality Guaranteed

设备如有改动，恕不另行通知本资料仅供参考以实物为准（2023版）



2023 自由组合工作站
MODULAR WORKSHOP STATION



珠海市飞鹰电器有限公司
ZHUHAI FLY-EAGLE ELECTRICAL APPLIANCE CO.,LTD.

Http://www.zhfeiying.com
Email: zhfy-001@vip.163.com




关于我们
About us













企业简介
OMPANY PROFILE

珠海市飞鹰电器有限公司，是珠海市高科技企业、珠海市重合同守信单位、中国汽车保修设备行业协会理事单位等。公司拥有65000平方米现代化工厂，在全国设有八个分支机构，拥有雄厚的技术力量和先进的生产及检测设备，先后通过ISO9001：2015质量体系认证、中国强制性CCC、欧盟CE、外观设计专利等多项认证。所有产品严格按照国际IEC及国家GB等有关标准设计，并获得35家知名品牌汽车制造厂4S站指定使用产品。FY-TECH凭借过硬的产品质量，国际领先技术，优质的售后服务，专业的制造理念，雄厚的实力取得了所有用户的信赖，并且与海外多家客户建立了长期的OEM合作关系。FY-TECH专心投身于汽保行业，立足将企业做大、做强、做专的发展思路，全寿命使用的理念下创造FY-TECH国际品牌。

Zhuhai Fly-Eagle Electrical Appliance Co Ltd has been awarded the "Zhuhai Science and Technology Enterprise" and "Zhuhai Credible Enterprise" awards as well as being a trustee of the "China Automobile Maintenance Equipment Association". We have our own factory with building area 65,000 square meters and eight branches all over China.
With abundant technology capabilities, advanced production and testing equipment, we have obtained the Quality Management and Quality Assurance ISO9001:2015, the China Compulsory Certification CCC, and the European Union CE Certification and Exterior Design Patent. Our products are strictly designed in accordance with international IEC and National GB Standards. Our products are also used and recommended by the 4S Service Shops of 35 well known automobile manufacturers.
We rely on outstanding product quality, advanced technology, excellent after sales service and professional management. Zhuhai Fly-Eagle Electrical Appliance Co. Ltd has therefore gained a reputation for high quality products. We also maintain a long lasting OEM business relationship with many overseas customers to create international quality.
Based on a development policy of innovation, progressiveness and professionalism, Zhuhai Fly-Eagle Electrical Appliance is fully devoted to the automobile maintenance equipment industry. The "FY-TECH" international brand is synonymous with our principle of a lifetime of use.

使命 精神 战略
Mission Spirit Strategy

无论何时，无论何地。
我们在您的身边。

No matter when and where,
we will always be at your side











初始化阶段
Initialization stage

被动响应
服务请求
Passive response
to service request

规范化阶段
Standardization stage

规范服务形式
追求客户满意度
Standard service for pursuit
of customer satisfaction


产品化阶段
Production stage

主动替客户分忧
追求客户忠诚度
Active service for pursuit
of customer loyalty

21世纪的4S站规划
For The Garages Of the 21st Century

适用于各种汽车4S店、主机厂、维修车间、汽车美容店、汽车精品改装等场所。
Suitable for a variety of automotive 4S shops, car manufacturing, maintenance workshops, auto beauty shops, automotive modification, and etc.

改变了传统修理厂的混乱状况，优化了4S站的规范管理，让维修车间焕然一新。
Break away from the traditional unorganized workshop and change into a modern and optimally managed 4S shop. A bright and organized workshopwill help to win and keep customers.







无论何时，无论何地，当您需要完美的工作空间时，
FY–TECH永远是值得您信赖，实现您想法的合作伙伴；
FY–TECH有着多年的工具箱柜项目经验，
能够帮助您实现构想，
创造一个灵活、便利、愉悦的工作空间。

Whenever and wherever you need to improve your workshop, FY–TECH will be your reliable partner to turn your ideas into reality. Drawing from years of experience, FY–TECH has the expertise to design and plan your workshop from the earliest stages. You can add our tool cabinets to your garage and turn your work space into a stunning, functional garage with minimum effort.

科技创新 创意无限
CREATIVE AND TECHNOLOGICAL INNOVATION

便捷式空间管理专家
SPACE-SAVING MANAGEMENT EXPERT

便利快捷 ■ 合理空间优化 ■ 坚固耐用 ■ 提升工作效率
Convenient and efficient ■ Reasonable space optimization
Sturdy and durable ■ Improve work efficiency



飞鹰工具箱柜系列
FY-TECH TOOL CABINET SERIES

客户经典案例
Clients' typical projects




































FY-7711GL


随意组合 · 支持定制 · 品质保障

Flexible and Rearrangeable • Customization Available• Quality Guaranteed



- 飞鹰组合工具柜采用灵活的模块化设计，多种存储单元自由组合，优质钢材一体成型，多种可选颜色，空间和存储需求可定制，给予一个整洁、美观、现代化的工作环境，使工具摆放更为整洁干净，让工作更便捷，一步到位。
- 双开门柜：柜子带独立锁，内置隔板可拆卸，大小件工具都可放置。
- 吊　柜：配有独立锁，装有气弹簧，便于打开和关闭。
- 挂　板：穿孔工具挂板配有电源插座。孔位均为标准尺寸，适合所有挂钩，可挂工具，承载力强。
- 工具车：配有不同尺寸的抽屉，满足各种工具的空间需求，配有中控一体锁，推拉自如。
- 工具柜：容量大，承重强，中控一体锁，配有可拆卸内置隔板。
- 垃圾柜：内置垃圾箱，穿孔纸卷，方便清洁。
- 功能柜：气源绕线器+电源绕线器，一柜全能。
- 台　面：实木台面与不锈钢台面多种选择，结实耐用。


- FY-TECH Modular Workshop Station adopts flexible modular design with a variety of storage units that consist of cabinets with selected elements of standard sizes for different combinations.This modular workshop station is specifically designed to maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.Heavy-duty steel structure with one piece die-casting molding and available in a variety of colors ensuring it can fit with anyone's style.The modular units can be customized based on your need.
- Double-door cabinet: Built-in steel shelves for storing items with various sizes and weights.Cabinet with independent lock.
- Hanging wall cabinet: With independent lock and gas strut,easy to open and close.
- Peg board: Perforated panel with power socket provide additional storage space for tools,strong load-bearing and standard size perforated for all hooks.
- Tool trolley: Equipped with centralized control lock.Different size drawers are used to meet the space requirement of different size tools.
- Tool cabinet:Large capacity,strong load-bearing,centralized control lock. Customized pad for drawers are available as an option.
- Trash cabinet: Built-in trash bin and towel roll holder.Easy to clean.
- Hose reel cabinet:All in one design with air reel + electric reel to meet your needs. No need to buy a separate cabinet.
- Countertop: Solid wood or stainless steel is available as option for the countertop.



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

科学严谨的研发理念

Rigorous Scientific Research and Development Philosophy

合理的设计是提升产品附加价值的关键，FY-TECH的研发团队是一支锐意进取、思想先进的团队，拥有大批专业技术高超和设计经验丰富的研发人员，FY-TECH有着多年工具箱柜项目研发生产经验。以市场诉求与客户反馈信息为导向，不断创新、与时俱进。


FY-TECH工具箱柜系列以“合理空间优化 提升工作效率”为核心研发理念，真正做到便利快捷、合理规范工作环境。使您的工具存取真正做到准时准确、高效低耗。高强度的结构设计和模具成型技术及表面处理工艺，让产品不仅外形美观，而且更加坚固，持久耐用，适用各种工作环境。

A good design is the key element to improve practical function and additional value in the products. With a large number of professional, skillful and experienced technical developers, the Research and Development of FY-TECH is a team full of progressive and innovative spirit. FY-TECH has had many years experience in developing and producing tool cabinets. With market and customer feedback as the guidance, we are keeping up with constant innovation and competitiveness.
There is a core principle that FY-TECH will apply to all tool carts and cabinets, “Reasonable Space Optimization and Improved Work Efficiency”, providing a convenient and organized working space and environment. Storage and use of hand tools can become simple, easy and fast. With high strength structure, molding technology and surface treatment technique, these not only give the cabinet a smooth look, but also make them more durable and fit for complicated workshops.

多功能可拆卸组合
工具柜中的 变形金刚

"Transformers" in modular workstations and tool cabinets






FY-7728G

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 5670x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-7705DJ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm

不同行业/专属定制/强劲扩展

Different industries/Exclusive customization/Flexible expansion

结构特点

- ●柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
- ●柜门采用安全锁具，方便开关，安全便捷。
- ●一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
- ●充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
- ●可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
- ●支持多种工具挂置，充分利用空间，满足各类工具收纳。
- ●帮您解决工具无处可放，随处乱放，空间局限等问题
- ●严格把控每一道工序，品质保障，让每一位客户放心。
- ●应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



FY-7714GDL

颜色选择 RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 10000x570x2060mm

结构特点

●高强度的结构设计和特殊的表面处理工艺，能适用各种复杂的工作环境。
●装有优质轴承的导轨，保证单个抽屉承受额定载荷时，亦能轻松顺畅抽拉。
●加宽型铝合金抽屉横条及可换的标签，美观大方，方便实用。
●抽屉配有先进的安全扣设计，保证抽屉在关闭后不会意外滑出。
●采用国际先进水平的锁具，保证物品安全。
●可自由选择不同高度的抽屉，充分满足客户的需求。
●柜体底部装有底脚，保护柜体在放置或移动时不受损坏，方便搬运。
●多种颜色，满足用户布置车间时的整体配色要求。



型号/Model NO : FY-7705DJ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702A
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm

Structural features

●High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
●Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
●Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
●Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
●Adopting international advanced locking device, to ensure the safety of items.
●Drawers of different heights can be freely chosen to fully meet the needs of customers.
●The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
●A variety of surface colors to meet the user's overall arrangement requirements.



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm




型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm




FY-7715GU

颜色选择 RAL 7040 RAL 7045 RAL 3002 RAL 5009 RAL 7012 RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 10170x570x2060mm



为您定制专属的工具空间
Customize your own space for tooling



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7708DZ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x440mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7705DJ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7709DZ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm




型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



FY-7711G

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 9006 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 5670x570x2060mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7705DJ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm

始于颜值 忠于品质
Beautiful Design•Excellent Quality

结构特点

- ●柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
- ●柜门采用安全锁具，方便开关，安全便捷。
- ●一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
- ●充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
- ●可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
- ●支持多种工具挂置，充分利用空间，满足各类工具收纳。
- ●帮您解决工具无处可放，随处乱放，空间局限等问题
- ●严格把控每一道工序，品质保障，让每一位客户放心。
- ●应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。

Structural features

- • Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- • Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- • One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- • User-friendly structure design takes full consideration of user needs that make your work more efficient.
- • Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- • Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- • Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- • Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- • Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm




型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



FY-7711GL

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 7940x570x2060mm

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017




结构特点

●柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
●柜门采用安全锁具，方便开关，安全便捷。
●一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
●充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
●可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
●支持多种工具挂置，充分利用空间，满足各类工具收纳。
●帮您解决工具无处可放，随处乱放，空间局限等问题
●严格把控每一道工序，品质保障，让每一位客户放心。
●应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7708DZ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x440mm



型号/Model NO : FY-7705DJ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7709DZ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm




型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。




型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



FY-7710GA

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 7070x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

可移动 可定制 高承重 防变形

Movable, customizable, high load bearing and anti deformation

- 飞鹰组合工具柜采用灵活的模块化设计，多种存储单元自由组合，优质钢材一体成型，多种可选颜色，空间和存储需求可定制，给予一个整洁、美观、现代化的工作环境，使工具摆放更为整洁干净，让工作更便捷，一步到位。
- 双开门柜：柜子带独立锁，内置隔板可拆卸，大小件工具都可放置。
- 吊　柜：配有独立锁，装有气弹簧，便于打开和关闭。
- 挂　板：穿孔工具挂板配有电源插座。孔位均为标准尺寸，适合所有挂钩，可挂工具，承载力强。
- 工具车：配有不同尺寸的抽屉，满足各种工具的空间需求，配有中控一体锁，推拉自如。
- 工具柜：容量大，承重强，中控一体锁，配有可拆卸内置隔板。
- 垃圾柜：内置垃圾箱，穿孔纸卷，方便清洁。
- 功能柜：气源绕线器+电源绕线器，一柜全能。
- 台　面：实木台面与不锈钢台面多种选择，结实耐用。

- FY-TECH Modular Workshop Station adopts flexible modular design with a variety of storage units that consist of cabinets with selected elements of standard sizes for different combinations.This modular workshop station is specifically designed to maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.Heavy-duty steel structure with one piece die-casting molding and available in a variety of colors ensuring it can fit with anyone's style.The modular units can be customized based on your need.
- Double-door cabinet: Built-in steel shelves for storing items with various sizes and weights.Cabinet with independent lock.
- Hanging wall cabinet: With independent lock and gas strut,easy to open and close.
- Peg board: Perforated panel with power socket provide additional storage space for tools,strong load-bearing and standard size perforated for all hooks.
- Tool trolley: Equipped with centralized control lock.Different size drawers are used to meet the space requirement of different size tools.
- Tool cabinet:Large capacity,strong load-bearing,centralized control lock. Customized pad for drawers are available as an option.
- Trash cabinet: Built-in trash bin and towel roll holder.Easy to clean.
- Hose reel cabinet : All in one design with air reel + electric reel to meet your needs. No need to buy a separate cabinet.
- Countertop: Solid wood or stainless steel is available as option for the countertop.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7704GB
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。




型号/Model NO : FY-8720H
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x593x2060mm
备注：工具柜斜挂板需定货声明。



FY-7710GB

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 5005 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 7140x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

模块化设计·百变组合
Modular Design • Various Combinations

结构特点

- 柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
- 柜门采用安全锁具，方便开关，安全便捷。
- 一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
- 充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
- 可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
- 支持多种工具挂置，充分利用空间，满足各类工具收纳。
- 帮您解决工具无处可放，随处乱放，空间局限等问题
- 严格把控每一道工序，品质保障，让每一位客户放心。
- 应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm




FY-7790GA

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 6370x570x2060mm

颜色选择 Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017






挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm




型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。




型号/Model NO : FY-8710H
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x593x2060mm
备注：挂板分为横版/斜板，订货时须注明。



FY-7790GB

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017


材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 6440x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

组件可增可减 组柜顺序可调

Modular design, flexible and rearrangeable installation sequence

结构特点

- ●柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
- ●柜门采用安全锁具，方便开关，安全便捷。
- ●一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
- ●充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
- ●可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
- ●支持多种工具挂置，充分利用空间，满足各类工具收纳。
- ●帮您解决工具无处可放，随处乱放，空间局限等问题
- ●严格把控每一道工序，品质保障，让每一位客户放心。
- ●应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7705DJ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7704GB
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。




型号/Model NO : FY-8720H
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x593x2060mm
备注：挂板分为横版/斜板，订货时须注明。



FY-7798G

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017


材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 5670x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

结构特点

- 柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
- 柜门采用安全锁具，方便开关，安全便捷。
- 一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
- 充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
- 可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
- 支持多种工具挂置，充分利用空间，满足各类工具收纳。
- 帮您解决工具无处可放，随处乱放，空间局限等问题
- 严格把控每一道工序，品质保障，让每一位客户放心。
- 应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



型号/Model NO : FY-77006DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm




型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。




型号/Model NO : FY-8710H
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x593x2060mm
备注：挂板分为横版/斜板，订货时须注明。



FY-7797G

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3003 | RAL 5009 | RAL 7012 | RAL 9017


材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 4970x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

- 飞鹰组合工具柜采用灵活的模块化设计，多种存储单元自由组合，优质钢材一体成型，多种可选颜色，空间和存储需求可定制，给予一个整洁、美观、现代化的工作环境，使工具摆放更为整洁干净，让工作更便捷，一步到位。
- 双开门柜：柜子带独立锁，内置隔板可拆卸，大小件工具都可放置。
- 吊　柜：配有独立锁，装有气弹簧，便于打开和关闭。
- 挂　板：穿孔工具挂板配有电源插座。孔位均为标准尺寸，适合所有挂钩，可挂工具，承载力强。
- 工具车：配有不同尺寸的抽屉，满足各种工具的空间需求，配有中控一体锁，推拉自如。
- 工具柜：容量大，承重强，中控一体锁，配有可拆卸内置隔板。
- 垃圾柜：内置垃圾箱，穿孔纸卷，方便清洁。
- 功能柜：气源绕线器+电源绕线器，一柜全能。
- 台　面：实木台面与不锈钢台面多种选择，结实耐用。

- FY-TECH Modular Workshop Station adopts flexible modular design with a variety of storage units that consist of cabinets with selected elements of standard sizes for different combinations.This modular workshop station is specifically designed to maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.Heavy-duty steel structure with one piece die-casting molding and available in a variety of colors ensuring it can fit with anyone's style.The modular units can be customized based on your need.
- Double-door cabinet: Built-in steel shelves for storing items with various sizes and weights.Cabinet with independent lock.
- Hanging wall cabinet: With independent lock and gas strut,easy to open and close.
- Peg board: Perforated panel with power socket provide additional storage space for tools,strong load-bearing and standard size perforated for all hooks.
- Tool trolley: Equipped with centralized control lock.Different size drawers are used to meet the space requirement of different size tools.
- Tool cabinet:Large capacity,strong load-bearing,centralized control lock. Customized pad for drawers are available as an option.
- Trash cabinet: Built-in trash bin and towel roll holder.Easy to clean.
- Hose reel cabinet : All in one design with air reel + electric reel to meet your needs. No need to buy a separate cabinet.
- Countertop: Solid wood or stainless steel is available as option for the countertop.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm




型号/Model NO : FY-7704GB
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-8720H
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x593x2060mm
备注：挂板分为横版/斜板，订货时须注明。



FY-7790GC


颜色选择 Color RAL 7040 RAL 7045 RAL 5009 RAL 5009 RAL 7012 RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 5810x570x2060mm

多种预选方案 功能百变

A variety of options are available to provide you with a fully functional storage solution

- 适应更多工作环境，满足您的多种适用需求
- 采用加厚钢板，坚固耐用，承重强，不易变形。
- 环保粉末喷塑，附着力强，光滑平整，耐磨耐锈，健康环保。
- Adapt to a wider range of working environments and meet your various needs.
- Using thickened heavy-duty steel plate offers sturdy and durable structure with high load-bearing capacity and not easy to be deformed.
- Eco-friendly powder spraying with strong adhesion, smooth and flat surface , wear-resistant and rust-resistant.



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-8720H
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x593x2060mm
备注：挂板分为横版/斜板，订货时须注明。

结构特点

- 柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
- 柜门采用安全锁具，方便开关，安全便捷。
- 一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
- 充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
- 可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
- 支持多种工具挂置，充分利用空间，满足各类工具收纳。
- 帮您解决工具无处可放，随处乱放，空间局限等问题
- 严格把控每一道工序，品质保障，让每一位客户放心。
- 应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。


Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



选择我们 告别凌乱


Choose us to say goodbye to clutter




挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



FY-7780GB

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 5670x570x2060mm

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm




FY-7770GA

颜色选择 Color　RAL 7040　RAL 7045　RAL 3000　RAL 5009　RAL 7012　RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 4970x570x2060mm


模块化设计·百变组合
Modular Design • Various Combinations



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm

结构特点

- 高强度的结构设计和特殊的表面处理工艺，能适用各种复杂的工作环境。
- 装有优质轴承的导轨，保证单个抽屉承受额定载荷时，亦能轻松顺畅抽拉。
- 加宽型铝合金抽屉横条及可换的标签，美观大方，方便实用。
- 抽屉配有先进的安全扣设计，保证抽屉在关闭后不会意外滑出。
- 采用国际先进水平的锁具，保证物品安全。
- 可自由选择不同高度的抽屉，充分满足客户的需求。
- 柜体底部装有底脚，保护柜体在放置或移动时不受损坏，方便搬运。
- 多种颜色，满足用户布置车间时的整体配色要求。

Structural features


- High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
- Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
- Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
- Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
- Adopting international advanced locking device, to ensure the safety of items.
- Drawers of different heights can be freely chosen to fully meet the needs of customers.
- The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
- A variety of surface colors to meet the user's overall arrangement requirements.



FY-7770GB

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017


材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 4970x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7705DJ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm

组件可增可减 组柜顺序可调
Modular design, flexible and rearrangeable installation sequence

结构特点

- 柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
- 柜门采用安全锁具，方便开关，安全便捷。
- 一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
- 充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
- 可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
- 支持多种工具挂置，充分利用空间，满足各类工具收纳。
- 帮您解决工具无处可放，随处乱放，空间局限等问题
- 严格把控每一道工序，品质保障，让每一位客户放心。
- 应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.




FY-7760G

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 4270x570x2060mm

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3005 | RAL 5009 | RAL 7012 | RAL 9017

精工细作 匠心品质
Precision Workmanship Extraordinary Quality



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm

结构特点

- 高强度的结构设计和特殊的表面处理工艺，能适用各种复杂的工作环境。
- 装有优质轴承的导轨，保证单个抽屉承受额定载荷时，亦能轻松顺畅抽拉。
- 加宽型铝合金抽屉横条及可换的标签，美观大方，方便实用。
- 抽屉配有先进的安全扣设计，保证抽屉在关闭后不会意外滑出。
- 采用国际先进水平的锁具，保证物品安全。
- 可自由选择不同高度的抽屉，充分满足客户的需求。
- 柜体底部装有底脚，保护柜体在放置或移动时不受损坏，方便搬运。
- 多种颜色，满足用户布置车间时的整体配色要求。

Structural features


- High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
- Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
- Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
- Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
- Adopting international advanced locking device, to ensure the safety of items.
- Drawers of different heights can be freely chosen to fully meet the needs of customers.
- The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
- A variety of surface colors to meet the user's overall arrangement requirements.



FY-7750G

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 3570x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。




型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm

结构特点

- 高强度的结构设计和特殊的表面处理工艺，能适用各种复杂的工作环境。
- 装有优质轴承的导轨，保证单个抽屉承受额定载荷时，亦能轻松顺畅抽拉。
- 加宽型铝合金抽屉横条及可换的标签，美观大方，方便实用。
- 抽屉配有先进的安全扣设计，保证抽屉在关闭后不会意外滑出。
- 采用国际先进水平的锁具，保证物品安全。
- 可自由选择不同高度的抽屉，充分满足客户的需求。
- 柜体底部装有底脚，保护柜体在放置或移动时不受损坏，方便搬运。
- 多种颜色，满足用户布置车间时的整体配色要求。

Structural features


- High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
- Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
- Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
- Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
- Adopting international advanced locking device, to ensure the safety of items.
- Drawers of different heights can be freely chosen to fully meet the needs of customers.
- The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
- A variety of surface colors to meet the user's overall arrangement requirements.



FY-7740G

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017


材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 2870x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

结构特点

- 柜体采用优质冷轧钢板焊接而成，坚固耐用，抗冲击不易变形，绿色环保喷涂工艺不褪色，无气味。
- 柜门采用安全锁具，方便开关，安全便捷。
- 一体式冲压成型工艺，提升抽屉承重性，防脱落卡扣安全可靠；静音滑轨，抽拉顺畅。
- 充分考虑用户需求，人性化的内部构造，让收纳更加随心所欲。
- 可自由组合的设计，拆装便捷省时省力更自由，满足不同场合使用。
- 支持多种工具挂置，充分利用空间，满足各类工具收纳。
- 帮您解决工具无处可放，随处乱放，空间局限等问题
- 严格把控每一道工序，品质保障，让每一位客户放心。
- 应用范围：可用于学校培训、汽车维修、生产车间 、工地施工等。



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm

Structural features

- Thickened cold-rolled and welded steel body provide a solid cabinet to give you many years of reliable use.With eco-friendly spay coating process,the cabinets are non- fading and odorless.
- Cabinet door security lock with vertical linkage locking device,supplied with 2 keys.
- One-piece stamping molding to enhance the load-bearing of the drawer.Slide rail with anti-drop buckle offers safe,reliable and smooth sliding drawer.
- User-friendly structure design takes full consideration of user needs that make your work more efficient.
- Detachable cabinet technique to meet different space occasions, easy to disassemble and install, save time and energy and quick installation.
- Make full use of space and support a variety of tools hanging to meet all kinds of tools storage.
- Maximize utility and allow for efficient space management that offers you a modern workshop with clutter-free and clean.
- Rigorous inspection control to ensure the high quality as a standard feature on all cabinets.
- Application scope: It can be used for school training, auto repair, production workshop, construction site, etc.



FY-7730G

颜色选择 Color


RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm

外形尺寸/Overall dimensions: 2100x570x2060mm

组件可增可减 组柜顺序可调


Modular design, flexible and rearrangeable installation sequence



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

结构特点

- ●高强度的结构设计和特殊的表面处理工艺，能适用各种复杂的工作环境。
- ●装有优质轴承的导轨，保证单个抽屉承受额定载荷时，亦能轻松顺畅抽拉。
- ●加宽型铝合金抽屉横条及可换的标签，美观大方，方便实用。
- ●抽屉配有先进的安全扣设计，保证抽屉在关闭后不会意外滑出。
- ●采用国际先进水平的锁具，保证物品安全。
- ●可自由选择不同高度的抽屉，充分满足客户的需求。
- ●柜体底部装有底脚，保护柜体在放置或移动时不受损坏，方便搬运。
- ●多种颜色，满足用户布置车间时的整体配色要求。



型号/Model NO : FY-7701G2
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-7701G1
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x2060mm
备注：柜体分为单层和双层，订货时须注明。



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7704GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x280x440mm

Structural features

- ●High-duty structure design and special powder coating surface treatment process to protect the cabinets from everyday heavy use.
- ●Slide rails with high quality bearings ensure that each drawer can open and close easily and smoothly even when they are under rated load.
- ●Full-length aluminum drawer handles and replaceable labels provide you the storage with organized, convenient and practical.
- ●Advanced drawer safety buckle design ensures that the drawer will not slide out accidentally after closing.
- ●Adopting international advanced locking device, to ensure the safety of items.
- ●Drawers of different heights can be freely chosen to fully meet the needs of customers.
- ●The foot-pad protects from damage whether the cabinet is moving or stationary, and it is convenient to be carried by forklift.
- ●A variety of surface colors to meet the user's overall arrangement requirements.



组合式挂板工具柜
Assembled tool cabinets with pegboards

FY-3010

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

技术参数

●整体尺寸（L×W×H）：5500×860×2200mm
●圈帘门尺寸（W×H）：1800×1370mm
●第一层（整片）尺寸（L×W）：1390mm×5500mm
●第二、三、四层是分片结构，每层为四片，可左右滑动
●工具柜由上下两部分构成
●上部位（L×W×H）：5500×860×1420mm
●下部位（L×W×H）：5500×860×780mm
●工具柜整体框架采用3mm厚铝合金模具挤压成型，表面美观耐用，比普通方通单面喷漆耐用2至3倍
●工具柜底部装有可调高低的调节脚，可在不同的场地安装

●Overall dimensions (L×W×H): 5500×860×2200mm.
●Roller shutter (W×H): 1800×1370mm.
●The first layer (one-piece) (L×W): 1390mm×5500mm.
●The second, third and fourth layer is a multi-piece design, four pieces per layer with the ability to slide left and right.
●Modular construction which is assembled in two parts.
●Upper part (L×W×H): 5500×860×1420mm.
●Lower part (L×W×H): 5500×860×780mm.
●The whole frame structure is made by extrusion molding with 3mm of aluminium alloy sheet, which increases the durability of the paint finish to 2 to 3 times that of ordinary paint.
●The height of the feet are adjustable to allow the cabinet to be positioned in various places.

组合式挂板工具柜
Assembled tool cabinets with pegboards


颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017



FY-1010G



圈帘门采用铝合金模具挤压成型，独立门锁，独立操作
Roller shutter is made of aluminium, molded with extrusion technique. Each roller shutter operates and locks independently.



配有多片挂板，可左右任意移动，方便快捷
Complete with sliding pegboards which can conveniently slide left and right.




移动挂板采用静音轨道专用滑轮，静音、耐用、承重性好
The mute ball bearings in the runners with less noise, higher loading capacity and higher durability.

技术参数

●整体尺寸（L×W×H）：1830×860×2200mm
●圈帘门尺寸（W×H）：1800×1370mm
●第一层（整片）尺寸（L×W）：1390mm×1830mm
●第二、三、四层是分片结构，每层为四片，可左右滑动
●工具柜由上下两部分构成
●上部位（L×W×H）：1830×860×1420mm
●下部位（L×W×H）：1830×860×780mm
●工具柜整体框架采用3mm厚铝合金模具挤压成型，表面美观耐用，比普通方通单面喷漆耐用2至3倍
●工具柜底部装有可调高低的调节脚，可在不同的场地安装


●Overall dimensions (L×W×H): 1830×860×2200mm.
●Roller shutter (W×H): 1800×1370mm.
●The first layer (one-piece) (L×W): 1390mm×18300mm.
●The second, third and fourth layer is a multi-piece design, four pieces per layer with the ability to slide left and right.
●Modular construction which is assembled in two parts.
●Upper part (L×W×H): 1830×860×1420mm.
●Lower part (L×W×H): 1830×860×780mm.
●The whole frame structure is made by extrusion molding with 3mm of aluminium alloy sheet, which increases the durability of the paint finish to 2 to 3 times that of ordinary paint.
●The height of the feet are adjustable to allow the cabinet to be positioned in various places.



FY-3013DU

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 9310x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available



吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

多功能可拆卸组合
工具柜中的 变形金刚

"Transformers" in modular workstations and tool cabinets



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7709DZ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



FY-3090DL

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm

外形尺寸/Overall dimensions: 6440x570x2060mm




FY-3090D

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm


外形尺寸/Overall dimensions: 2100x570x2060mm



挂板采用冷轧工艺，耐磨抗压不变形，标准尺寸打孔适合所有挂钩。
The pegboard adopts cold-rolled process, anti-wear and anti crush without deformation, and the standard size perforation is suitable for all hooks.



实木台面和不锈钢台面任意选择
Optional solid wood and stainless steel countertop is available




吊柜采用两种锁芯设计，圆形转舌锁和密码锁，标配圆形转舌锁。备注：加装密码锁需要订货声明。
Hanging cabinet with two kinds of lock cylinder--cylinder lock and combination lock.The standard is cylinder lock.Note: If the combination lock is needed,please specify when ordering.

组件可增可减　组柜顺序可调

Modular design, flexible and rearrangeable installation sequence

- 适应更多工作环境，满足您的多种适用需求
- 采用加厚钢板，坚固耐用，承重强，不易变形。
- 环保粉末喷塑，附着力强，光滑平整，耐磨耐锈，健康环保。

- Adapt to a wider range of working environments and meet your various needs.
- Using thickened heavy-duty steel plate offers sturdy and durable structure with high load-bearing capacity and not easy to be deformed.
- Eco-friendly powder spraying with strong adhesion, smooth and flat surface , wear-resistant and rust-resistant.



型号/Model NO : FY-8730H
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 680x30x355mm



型号/Model NO : FY-7706DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7705DJ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-707DA
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7709DZ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7702DQ
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-7703DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm

立体封闭式组合工具柜
Vertical Close Type Tool Cabinets

结构特点
- 整个工具柜全部采用模具化制造，选用上等的优质材料，品质无与伦比。
- 所有挂板设计有通用的网孔，可任意更改工具位置。
- 拉手采用铝合金材料，设计符合人体学，方便耐用。
- 上下的轨道设计是按工业轴承CG方案设计，可轻松推拉，单个挂板可承载200kg。
- 表面采用防紫外线静电喷涂处理美观耐用。


Structural features
- Cabinet structure is made of quality materials using the molding technique to ensure the construction is unrivaled.
- Vertical panels with pegboard designs allow you to hang tools and various other items.
- Ergonomically designed handle with aluminium alloy materials, convenient and durable.
- The upper and lower ball-bearing slides are designed in accordance with the CG industrial bearing design for easy and flexible movement of the drawers. Loading capacity for each pegboard is 200kg.
- The surface is treated with an ultraviolet electrostatic coating for an attractive finish which is also durable.




FY-6H

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017


材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 2050x1120x2150mm



工具柜柜底配有脚轮，承重量大，满载时亦能推拉顺畅
Wheels at the bottom have large loading capacity and move smoothly.



每个挂板工具柜都配有独立防盗锁，保证工具物件安全
Each pegboard cabinet is equipped with an independent security lock.



独立的封闭式抽拉挂板防尘,安全耐用
Independent and closed drawing pegboard is dust-proof and durable.



FY-5H

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 1740x1120x2150mm




FY-4H

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 1430x1120x2150mm

车间墙壁工具挂板
Metal Wall Storage Tool Pegboard



FY-8010L

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 1195x20x460mm

结构特点
- 采用镀锌钢板材，模具化一次冲压成型。
- 孔位精准，可放置挂钩，任意搭配。
- 挂板背面带有加强筋，坚固耐用
- 适用于：车间、仓库、美容工位等

Structural features
- Stamping forming by die-casting mould at one time with galvanized steel.
- Precise hole sites allow to organize hooks in many layouts depends on needs.
- The back of the board with reinforcement. Strong and durable.
- Suitable for workshops, warehouses, auto detailing shops,..etc.



FY-3070

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 5620x600x1080mm

多功能组合式工具柜
Multifunctional assembled tool cabinets



型号/Model NO : FY-707DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 700x540x950mm



型号/Model NO : FY-3070DC
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 1010x600x1080mm



型号/Model NO : FY-3070DS
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 900x600x1080mm



型号/Model NO : FY-3070DL
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 900x600x1080mm

结构特点

●整个工具车全部采用模具化制造，选用上等的优质材料。
●工具车的四个角柱采用铝合金模具一次成型，坚固耐用。
●表面更容易清洁。
●抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开。
●工具车装有先进的中控锁系统。
●每个抽屉都装有独立的防倾斜自锁系统，使用更安全。
●电脑柜、工具车、零件柜、垃圾柜合为一体的组合工具柜,改变了传统维修车间的混乱状态。

●The entire cabinet is made of high quality material by molding techniques for the entire cabinet.
●The four corner columns are made of aluminium alloy materials by the one-time extrusion molding technique, strong and durable.
●Top tray is easy to clean.
●Drawers are equipped with heavy duty stack-up ball-bearing slides for a longer service life and stronger extension ability, which allows drawers able to be opened to 100% of their length.
●With an advanced central lock system.
●Safety lock systems for each drawer to prevent it from being accidentally opened.
●One-piece design consisting of computer cabinet, tool cabinets, accessories cabinets and waste cabinets for a tidy and organized repair workshop.



型号/Model NO : FY-3070GD
材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 600x600x1740mm





FY-786XL



FY-783XL

FY-780XL

颜色选择 Color: RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7012 | RAL 9017

材料厚度/Material thickness:1.0-2.0mm
外形尺寸/Overall dimensions: 2350x570x2060mm

多场景适用
Suitable for a wide range of applications

●适应更多工作环境，满足您的多种适用需求
●采用加厚钢板，坚固耐用，承重强，不易变形。
●环保粉末喷塑，附着力强，光滑平整，耐磨耐锈，健康环保。

●Adapt to a wider range of working environments and meet your various needs.
●Using thickened heavy-duty steel plate offers sturdy and durable structure with high load-bearing capacity and not easy to be deformed.
●Eco-friendly powder spraying with strong adhesion, smooth and flat surface, wear-resistant and rust-resistant.



科学严谨的研发理念

Rigorous Scientific Research and Development Philosophy

好的设计是提升产品实用功能附加价值的关键，FY-TECH的研发团队是一支锐意进取、思想先进的团队，拥有大批专业技术高超和设计经验丰富的研发技术人员，FY-TECH有着多年工具箱柜项目研发生产经验。以市场诉求与客户反馈信息为导向，不断创新、与时俱进。

FY-TECH工具箱柜系列以“合理空间优化 提升工作效率”为研发核心理念，真正做到便利快捷、合理规范化工作空间环境。使您的物品存取工作真正做到准时、准确、高效、低耗。更以高强度的结构设计和模具成型技术及表面处理工艺。让产品不仅外形美观，而且更加坚固，持久耐用，更能适应复杂的工作环境。

A good design is the key element to improve practical function and additional value in the products. With a large number of professional, skillful and experienced technical developers, the Research and Development of FY-TECH is a team full of progressive and innovative spirit. FY-TECH has had many years experience in developing and producing tool cabinets. With market and customer feedback as the guidance, we are keeping up with constant innovation and competitiveness.
There is a core principle that FY-TECH will apply to all tool carts and cabinets, “Reasonable Space Optimization and Improved Work Efficiency”, providing a convenient and organized working space and environment. Storage and use of hand tools can become simple, easy and fast. With high strength structure, molding technology and surface treatment technique, these not only give the cabinet a smooth look, but also make them more durable and fit for complicated workshops.

飞鹰工具箱柜系列
FY-TECH TOOL CABINET SERIES

便利快捷 ■ 合理空间优化 ■ 坚固耐用 ■ 提升工作效率
Convenient and efficient ■ Reasonable space optimization
Sturdy and durable ■ Improve work efficiency



科技创新 创意无限

CREATIVE AND TECHNOLOGICAL INNOVATION

便捷式空间管理专家

SPACE-SAVING MANAGEMENT EXPERT

便利快捷 ■ 合理空间优化 ■ 坚固耐用 ■ 提升工作效率
Convenient and efficient ■ Reasonable space optimization
Sturdy and durable ■ Improve work efficiency

飞鹰工具箱柜系列
FY-TECH TOOL CABINET SERIES

21世纪的4S站规划

FOR THE GARAGES OF THE 21ST CENTURY

改变了传统修理厂的混乱状况，优化了4S站的规范管理，让维修车间焕然一新。

Break away from the traditional unorganized workshop and change into a modern and optimally managed 4S shop. A bright and organized workshop will help to win and keep customers.





方便快捷 稳固耐用 创造效力

CONVENIENT. DURABLE. EFFICIENT.

简单敞开的风格，宽敞方便的工作空间，使您感受到自然与工艺的完美结合；优质的材料、先进的工艺，使工具车的设计提升到一个新境界。

Good design is paramount.The simple,open style and spacious and convenient design is a perfect combination of usability and ruggedness.Additionally,we use superior quality materials and advanced technology to achieve a new standard in the field of tool cabinets.

FY718XXL双面组合工具车

FY718XXL Two-sided Combined Tool Cabinet





FY718XL

FY718XLH

超过20种个性化定制方案及全球维修专用解决方案

Over 20 Customized Solutions and Globally Repair Solutions

35家以上汽车制造商选择品牌

The brand chosen by more than 35 automakers

型 号 Model	小抽屉尺寸 Small drawer size	大抽屉尺寸 Large drawer size	外形尺寸 Overall dimensions	包装尺寸 Packing dimensions	小抽屉承载 Small drawer loading capacity	大抽屉承载 Large drawer loading capacity	整体承载 Overall loading capacity	重量(净重) Net weight	重量(毛重) Gross weight	抽屉伸展 Drawer extension	材料厚度 Material thickness
FY718XXL	574x400x72 mm	574x400x150 mm	1185x945x1050 mm	1205x965x1200 mm	50kg	65kg	450kg	230kg	235kg	100%	1.0–2.0mm
FY718XL	574x400x72 mm	574x400x150 mm	1080x530x1010 mm	1100x550x1160 mm	50kg	65kg	450kg	95kg	110kg	100%	1.0–2.0mm
FY718XLH	574x400x72 mm	574x400x150 mm	1080x530x1010 mm	1100x550x1160 mm	50kg	65kg	450kg	95kg	98kg	100%	1.0–2.0mm

颜色选择 Color

RAL 7040 | RAL 7045 | RAL 3000 | RAL 5009 | RAL 7016 | RAL 9017 ……

移动式快速维修工具车

Mobile tool cabinets

RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017 ……

FY718XS



工业级品质 满足不同需求

INDUSTRIAL GRADE QUALITY， SATISFY DIFFERENT DEMANDS



※实木桌面纹理美观大方，四边采用倒角设计坚固耐用。
※整车选用1.2mm厚冷轧板，保证强度，牢固结实。
※四个脚轮（其中两个带刹车万向轮）推车更灵活，承重更大。
※正面与背面设有三层开放性置物架，方便工具的拿取和放置。
※每个抽屉都装有防倾斜独立自锁系统，可防止抽屉自动打开，保证了使用安全；
※抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开；

※The texture of the solid wood table top is beautiful and generous, chamfering designed four sides are durable
※The tool cabinet adopts 1.2mm cold rolled steel sheet o ensure strength and firmness
※Four wheels (two of them with brake) cabinet are more flexible and load-bearing
※There are three shelves on the front and back of cabinet for easy access and placement of tools
※Each drawer equipped an anti-tilting self-locking system to prevent the drawer opened in accident, ensuring safe use
※The drawer adopts heavy-duty stacking ball slide rail to prolong the service life and extend the extension distance, so that the drawer can be opened 100%



扶手采用铝合金模具压铸成型，精美耐用
Handle is made of die-cast formed aluminium alloy, exquisite and durable.



工具车侧面和背面设有三层置物架
There are three layers of racks on the side and back of cabinet



工具车采用加厚实木桌面
The tool cabinet uses a thick solid wood tabletop



选用重型可承载300kg的双向刹车脚轮
Heavy duty casters with two-way brakes have a loading capacity of 300kg.

技术参数 (Specifications)

型 号 Model	大抽屉尺寸 Large drawer size	小抽屉尺寸 Small drawer size	外形尺寸 Overall dimensions	包装尺寸 Packing dimensions	抽屉承载 Small drawer loading capacity	整体承载 Overall loading capacity	重量(净重) Net weight	重量(毛重) Gross weight	抽屉伸展 Drawer extension	材料厚度 Material thickness
FY718XS	574x400x150 (mm)	574X400X72 (mm)	1080X725X1010 (mm)	1160X805X1060 (mm)	50kg	300kg	115kg	125kg	100%	1.0-2.0 (mm)

RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012 RAL 9017 ……

9系列工具车
9-SERIES TOOL CABINETS

巧妙的设计 先进的技术 让工具车更加有型
Create a centre of excellence with ingenious design and advanced techniques

[设计您所想] 并不仅仅是宣传册子上一句诱人的广告语，
简单五个字，诠释了我们存在的价值——竭尽所能
为您提供独具特色的高品质服务。

“Designed for your needs” is not only used as an advertising slogan in our pamphlets but they also express our management idea-to do our best and provide you with our unique high quality service.



FY917



技术参数 Specifications

名 称 Model	FY917	FY916	FY915	FY914
小抽屉尺寸 Small drawer size	574x400x72 mm	574x400x72 mm	574x400x72 mm	574x400x72 mm
大抽屉尺寸 Large drawer size	574x400x150 mm	574x400x150 mm	574x400x150 mm	574x400x150 mm
外形尺寸 Overall dimensions	800x490x1010 mm	800x490x1010 mm	800x490x1010 mm	800x490x1010 mm
包装尺寸 Packing dimensions	865x570x940 mm	865x570x940 mm	865x570x940 mm	865x570x940 mm
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	100kg	100kg	100kg	100kg
整体承载 Overall loading capacity	720kg	720kg	720kg	720kg
重量(净重) Net weight	93kg	90kg	87kg	82kg
重量(毛重) Gross weight	109kg	106kg	103kg	98kg
抽屉伸展 Drawer extension	100%	100%	100%	100%
材料厚度 Material thickness	1.0-2.0mm	1.0-2.0mm	1.0-2.0mm	1.0-2.0mm
颜色选择 Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017 ……			



坚固的工具车上盖采用模具一次成型,坚固耐用、表面更容易清洁
The one-time molded top tray is reinforced and easy to clean.



模具成型的抽屉拉手，美观耐用、推拉更加方便
Molded handles for afinished smooth look and convenient push and pull.



选用重型可承载600kg,双向刹车二次解锁脚轮
Heavy duty casters with two-way brakes and loading capacity of 600kg



工具车侧面设计有工卡盒子，可方便放置工卡
Designed with a holder for work cards on the side of the tool cabinet.



FY916



FY915



FY914

杰出的设计形式
总能让您感到喜悦

Outstanding designs that will meet your every need

工具车的设计理念——我们的设计师创造性地利用铝合金模具成型、塑料模具成型、钣金模具成型的关系组合，使我们的工具车不仅外型精美，而且坚固耐用。

When designing our tool cabinets, our designers use special techniques to combine different materials in a creative wav including mold formed aluminium allov. plastic and sheet metals This ives the cabinets a smooth look and makes them more compact and durable



STURDY AND DURABLE



FY913

技术参数 Specifications					
型号 Model	FY913	FY912	FY911	FY910	FY909
小抽屉尺寸 Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
大抽屉尺寸 Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)
外形尺寸 Overall dimensions	800x485x1400 (mm)	800x485x1400 (mm)	800x485x1400 (mm)	800x485x1400 (mm)	800x485x1010 (mm)
包装尺寸 Packing dimensions	865x560x1450 (mm)	865x560x1450 (mm)	865x560x1450 (mm)	865x560x1450 (mm)	865x570x940 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	100kg	100kg	100kg	100kg	100kg
整体承载 Overall loading capacity	800kg	800kg	800kg	800kg	600kg
重量(净重) Net weight	108kg	105kg	102kg	100kg	88kg
重量(毛重) Gross weight	125kg	120kg	115kg	112kg	100kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%
材料厚度 Material thickness	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 ……



采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开。
With heavy duty stacked ball-bearing slides,the drawer can be opened to its full length and service life is prolonged.



坚固的工具车上盖采用模具一次成型,坚固耐用、表面更容易清洁
The one-time molded top tray is reinforced and easy to clean.



每个抽屉都装有独立的防倾斜自锁系统，保证了使用安全
Complete with safety lock system for each drawer to prevent the drawers from being accidentally opened.



可选购防倾支架
Optional anti-tilt bracket



FY908



FY909



FY910



FY911

移动式快速维修工具车

MOBILE TOOL CABINETS

挥洒灵感创意 创造便利空间


CREATING CONVENIENT STORAGE SPACES WITH INSPIRATION AND CREATIVITY

无论何时，无论何地，当您需要完美的工作空间时，
FY-TECH永远是值得您信赖，实现您想法的合作伙伴;
FY-TECH有着多年的工具箱柜项目经验，能够帮助您实现构想，
创造一个灵活、便利、愉悦的工作空间。

Whenever and wherever you need to improve your workshop, FY-TECH will be your reliable partner to turn your ideas into reality. Drawing from years of experience,FY-TECH has the expertise to design and plan your workshop from the earliest stagesYou can add our tool cabinets to your garage and turn your work space into a stunning,functional garage with minimum effort.

技术参数 Specifications					
型号 Model	FY908	FY907	FY906	FY905	FY904
小抽屉尺寸 Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
大抽屉尺寸 Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	904配抽拉门 574x390mm
外形尺寸 Overall dimensions	800x485x1010 (mm)	800x485x1010 (mm)	800x485x1010 (mm)	800x485x1010 (mm)	800x485x1010 (mm)
包装尺寸 Packing dimensions	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	100kg	100kg	100kg	100kg	-------
整体承载 Overall loading capacity	600kg	600kg	600kg	600kg	450kg
重量(净重) Net weight	70kg	68kg	66kg	64kg	62kg
重量(毛重) Gross weight	80kg	78kg	76kg	74kg	72kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%
材料厚度 Material thickness	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 ……





扶手采用铝合金模具压铸成型，精美耐用
Handle is made of die-cast formed aluminium alloy, exquisite and durable.



工具车四个角柱采用铝合金模具一次成型，坚固耐用，后面背板设计有两条加强筋，防止抖动
Corners are reinforced with one time extrusion molded aluminium alloy structures.Two reinforcing ribs at the rear panel prevent tool cabinets from vibrating.



工具车装有先进的中控锁系统
Complete with advanced central locking system.



FY912



FY907

选用重型可承载800kg双向刹车二次解锁脚轮
Heavy duty casters with two-way brakes with a loading capacity of 800kg





FY906



FY905



FY904

方便快捷 稳固耐用 创造效力

CONVENIENT. DURABLE. EFFICIENT.

简单敞开的风格、宽敞方便的工作空间，使您感受到自然与工艺的完美结合；
优质的材料、先进的工艺，使工具车的设计提升到一个新境界。

Good design is paramount.The simple,open style and spacious and convenient design is a perfect combination of usability and ruggedness.Additionailly, we use superior quality materials and advanced technology to achieve a new standard in the field of tool cabinets.




钣金组工具
Tools for Collision Repair


1


2


3


4


FY907E




FY907EW

技术参数 (Specifications)

型号 Model	FY907E	FY907EW	FY909h	FY908h	FY907h	FY906h	FY905h
小抽屉尺寸 Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
大抽屉尺寸 Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)
外形尺寸 Overall dimensions	1170x485x1010 (mm)	1170x485x1000 (mm)	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)
包装尺寸 Packing dimensions	1226x570x940 (mm)	1226x570x940 (mm)	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	100kg	100kg	100kg	100kg	100kg	100kg	100kg
整体承载 Overall loading capacity	600kg	600kg	600kg	600kg	600kg	600kg	600kg
重量(净重) Net weight	110kg	110kg	96kg	93kg	89kg	86kg	83kg
重量(毛重) Gross weight	130kg	130kg	108kg	105kg	101kg	98kg	95kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%	100%	100%
材料厚度 Material thickness	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)	1.0-2.0 (mm)
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017	……




工具车侧面可选配零件盒
Additional tool compartment is available as an option



加装的通用网孔挂板使用更方便
Additional pegboard for more convenience and space for tools.



方便拆装的附加通用网孔挂板
Pegboard is easy to mount or remove.



配有模具一次成型的通用长短工具挂钩
Complete with an assortment of hooks for use with the metal pegboards.



FY909h



FY908h



FY907h




FY906h

ELEGANT AND STURDY


技术参数 (Specifications)							
型号 Model	FY903	FY903B	FY903h	FY903X	FY902h	FY303	FY302
小抽屉尺寸 Small drawer size	574x400x72 (mm)	--------	--------	574x400x72 (mm)	--------	--------	--------
外形尺寸 Overall dimensions	800x398x855 (mm)	800x383x855 (mm)	950x515x1550 (mm)	935x398x855 (mm)	650x515x1550 (mm)	780x390x855 (mm)	780x390x820 (mm)
包装尺寸 Packing dimensions	725x430x750 (mm)	415x350x775 (mm)	970x590x1485 (mm)	1015x478x905 (mm)	670x590x1485 (mm)	725x430x750 (mm)	725x430x750 (mm)
小抽屉承载 Small drawer loading capacity	50kg	--------	--------	50kg	--------	--------	--------
整体承载 Overall loading capacity	200kg	180kg	300kg	200kg	260kg	220kg	200kg
重量(净重) Net weight	30kg	22kg	68kg	27.5kg	46kg	32kg	30kg
重量(毛重) Gross weight	33kg	24kg	78kg	29kg	56kg	34kg	32kg
抽屉伸展 Drawer extension	100%	--------	--------	100%	--------	100%	100%
材料厚度 Material thickness	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)	1.0-2.0(mm)
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017	.....



扶手采用铝合金模具压铸成型，精美耐用
Handle is made of die-cast formed aluminium alloy, exquisite and durable.



工具车角柱采用模具化一次成型精美耐用
Corner structures are reinforced with one time extrusion molded aluminium alloy for durability.



工具车侧面设计有螺丝刀放置孔及工具收纳盒
Screwdriver placement hole and tool storage box on the side of the tool cabinet



选用重型可承载300kg的双向刹车脚轮
Heavy duty casters with two-way brakes have a loading capacity of 300kg.



FY903X

FY903h 挂板式工具车
Tool Cabinet With Pegboard



移动简易式工具车
Mobile tool trolley

FY303



移动简易式工具车
Mobile tool trolley

FY302





扶手采用铝合金模具压铸成型，精美耐用
Handle is made of die-cast formed aluminium alloy, exquisite and durable.



工具车角柱采用模具化一次成型精美耐用
Corner structures are reinforced with one time extrusion molded aluminium alloy for durability.



可任意挂大件工具的挂钩及能加装欧式电源接口的插座
Pegboard hooks are capable of accommodating virtually any tool, accessory or object.The socket can be installed to fit European standard plugs.



选用重型可承载300kg,双向刹车脚轮
Heavy duty casters with two-way brakes and loading capacity of 300kg

FY902h



移动简易式工具车
Mobile tool trolley

FY903




移动简易式工具车
Mobile tool trolley

FY903B



8系列工具车
8-SERIES TOOL CABINETS

Mobile tool cabinets
移动式快速维修工具车



模具化一次性成型美观耐用
One time extrusion molded for a finished smooth look

OI防盗中控锁寿命5万次以上
With OI security locks, usage life of over 50,000 times

设计有自动锁紧系统防止抽屉自动打开
Safety lock system prevents the drawers from being accidentally opened

侧面网孔板可随意改变挂钩的位置
Pegboard design on the side to hang tools and various items

后面背板设计有两条加强筋防止抖动
Two reinforcing ribs at the rear panel to prevent vibrations

可更换的抽屉记录条
Replaceable labels

采用铝合金模具一次成型的扶手稳固耐用
One time extrusion molded aluminium alloy handles for years of durability

选用重型轨道抽屉可承载65kg
Heavy duty ball-bearing slides with a loading capacity of 65kg

四脚装有安全防撞胶
Complete with safety pads on the four corners

选用重型可承载600kg双向刹车二次解锁轮子
Heavy duty casters with two-way brakes and a loading capacity of 600kg

技术参数 Specifications					
型号 Model	FY808	FY807	FY806	FY805	FY804
小抽屉尺寸 Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
大抽屉尺寸 Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	804配抽拉门 574x390mm
外形尺寸 Overall dimensions	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)
包装尺寸 Packing dimensions	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	65kg	65kg	65kg	65kg	--------
整体承载 Overall loading capacity	450kg	450kg	450kg	450kg	450kg
重量(净重) Net weight	70kg	68kg	65kg	58kg	55kg
重量(毛重) Gross weight	85kg	83kg	80kg	68kg	65kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%
材料厚度 Material thickness	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017	……

FY808





扶手采用铝合金模具压铸成型，精美耐用
Handle is made of die-cast formed aluminium alloy, exquisite and durable.



工具车装有先进的中控锁系统
Complete with advanced central locking system.



坚固的工具车上盖采用模具一次成型表面更容易清洁
Advanced polymer top tray made with the one time cast molding technique to ensure it is firm and durable. The surface of top tray is easy to maintain and clean.



可选购防倾斜支架
Optional anti-tilt bracket



FY807



FY806



FY805



FY804

FY808h



技术参数 (Specifications)				
型号 Model	FY808h	FY807h	FY806h	FY805h
小抽屉尺寸 Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
大抽屉尺寸 Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)
外形尺寸 Overall dimensions	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)	800x520x1600 (mm)
包装尺寸 Packing dimensions	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)	865x600x940 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	65kg	65kg	65kg	65kg
整体承载 Overall loading capacity	450kg	450kg	450kg	450kg
重量(净重) Net weight	85kg	81kg	79kg	77kg
重量(毛重) Gross weight	95kg	91kg	89kg	87kg
抽屉伸展 Drawer extension	100%	100%	100%	100%
材料厚度 Material thickness	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)
颜色选择 Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017 ……			



加装的通用网孔挂板使用更方便
Additional pegboard for more convenience



每个抽屉都装有独立的防倾斜自锁系统，保证了使用安全
Complete with safety lock system for each drawer to prevent the drawers from being accidentally opened.



采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开。
With heavy duty stacked ball-bearing slides,the drawer can be opened to its full length and service life is prolonged.



选用重型可承载600kg,双向刹车脚轮
Heavy duty casters with two-way brakes and loading capacity of 600kg



FY807h



FY806h



FY805h

FY804A



技术参数 Specifications				
型号 Model	FY804A	FY803A	FY802A	FY802
小抽屉尺寸 Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
工具柜尺寸 Large drawer size	590x435x440 (mm)	590x435x510 (mm)	590x435x590 (mm)	590x435x660 (mm)
外形尺寸 Overall dimensions	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)	800x485x1020 (mm)
包装尺寸 Packing dimensions	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)	865x570x940 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	--------	--------	--------	--------
整体承载 Overall loading capacity	450kg	450kg	450kg	450kg
重量(净重) Net weight	57kg	55kg	50kg	47kg
重量(毛重) Gross weight	67kg	65kg	60kg	57kg
抽屉伸展 Drawer extension	100%	100%	100%	100%
材料厚度 Material thickness	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)	1.0-1.5 (mm)
颜色选择 Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017 ……			



扶手采用模具压铸成型，精美耐用
Handle is made of die-cast formed aluminium alloy,exquisite and durable.



后面背板设计有两条加强筋防止抖动
Two reinforcing ribs at the rear panel to prevent tool cabinets from vibrating.



单门式的工具柜，便于放置大件工具
Single door design for large tools



坚固的工具车上盖采用模具一次成型表面更容易清洁
Advanced polymer top tray made with the one time cast molding technique to ensure it is firm and durable. The surface of top tray is easy to maintain and clean.



FY803A



FY802A



FY802

移动式快速维修工具车


Mobile tool cabinets





RAL 外挂件（选购）
External component for option


FY817



专利防倾锁设计，每次只能打开一个抽屉，防止抽屉倾斜造成危险(选购)
Patented anti-tip central lock design - only one drawer can be opened at a time to prevent accidental tipping(Optional).



工具车侧边配带油槽(选购)
Optional storage bin is available (optional)



可增加电脑架与背板(选购)
Optional laptop stand and pegboard wall panel are available (optional)



采用重型叠加式自吸滑轨，延长使用寿命，防止抽屉自动打开，保证使用安全
Heavy-duty stacked self-closing slides with longer life prevents drawers from opening accidentally

防倾中控锁 安全可靠

Safe and Reliable Anti-tip Central Lock System

※独特的专利防倾中控锁设计 ，每次只能打开一个抽屉，一锁锁全车、使用更安全 。
※工业级品质，整车承重可达800公斤以上，抽屉可增可减多区收纳，使用方便。
※2个定向轮2个万向轮带刹车，刹车片加厚 轴承螺丝加粗，刹车很平稳不溜车。
※双排加粗导轨，开关采用缓冲设计，抽屉承载可达50kg以上。
※工具车侧板开孔设计可增加挂钩，使工具灵活悬挂。
※多功能工作面盖采用一体注塑成型，耐腐蚀、抗划痕。

※Unique patented Anti-tip central lock design - only one drawer can be opened at a time and all drawers can be locked at once by the central locking,which is safer and more efficient.
※Industrial-grade quality with a total load capacity of up to 800kg.The number of drawers can be customized to meet your needs for efficient tool organization.
※Heavy-duty fixed and swivel casters with thickened brake pads and sturdy ball bearings provide smooth and effective braking
※Double thickened slides with buffered opening and closing design.Over 50kg load per drawer
※Both side panels have a pegboard design that can be used with pegboard hooks to save space while keeping items organized.
※One-piece injection-molded tabletop is corrosion and scratch resistant

技术参数 (Specifications)											
型 号 Model	小抽屉尺寸 Small drawer size	大抽屉尺寸 Large drawer size	外形尺寸 Overall dimensions	包装尺寸 Packing dimensions	小抽屉承载 Small drawer loading capacity	大抽屉承载 Large drawer loading capacity	整体承载 Overall loading capacity	重量（净重） Net weight	重量（毛重） Gross weight	抽屉伸展 Drawer extension	材料厚度 Material thickness
FY815	574x400x72 mm	574x400x150 mm	800x500x1020 mm	880x630x920 mm	50kg	50kg	450kg	58kg	68kg	100%	1.0-2.0mm
FY816	574x400x72 mm	574x400x150 mm	800x500x1020 mm	880x630x920 mm	50kg	50kg	450kg	60kg	70kg	100%	1.0-2.0mm
FY817	574x400x72 mm	574x400x150 mm	800x500x1020 mm	880x630x920 mm	50kg	50kg	450kg	62kg	72kg	100%	1.0-2.0mm
FY818	574x400x72 mm	574x400x150 mm	800x500x1020 mm	880x630x920 mm	50kg	50kg	450kg	64kg	74kg	100%	1.0-2.0mm
颜色选择 Color	RAL 7040	RAL 7045	RAL 5009	RAL 5009	RAL 7012	RAL 9017	……				



FY815



FY816



FY817



FY818



双层组合维修工具车
Double deck combined tool repair cabinets



FY718XL-MA



FY718XL-MB



FY718XL-MC

※工具车采用双层组合设计，多种颜色和结构可随意选择，满足不同工作需求。
※实木桌面纹理美观大方，四边采用倒角设计坚固耐用。
※整车选用1.2mm厚冷轧板，保证强度，牢固结实。
※四个脚轮（其中两个带刹车万向轮）推车更灵活，承重更大。
※正面与背面设有三层开放性置物架，方便工具的拿取和放置。
※每个抽屉都装有防倾斜独立自锁系统，可防止抽屉自动打开，保证了使用安全；
※抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开；
※顶层柜子带门锁，可存放大件工具。

※It a double-layer combination design tool cabinet, provided variety of colors and structures selected for satisfy different work requirements.
※The texture of the solid wood table top is beautiful and generous, chamfering designed four sides are durable
※The tool cabinet adopts 1.2mm cold rolled steel sheet o ensure strength and firmness
※Four wheels (two of them with brake) cabinet are more flexible and load-bearing
※There are three shelves on the front and back of cabinet for easy access and placement of tools
※Each drawer equipped an anti-tilting self-locking system to prevent the drawer opened in accident, ensuring safe use
※The drawer adopts heavy-duty stacking ball slide rail to prolong the service life and extend the extension distance, so that the drawer can be opened 100%
※The top cabinet has a door lock can place large work

技术参数 (Specifications)

型 号 Model	大抽屉尺寸 Large drawer size	小抽屉尺寸 Small drawer size	外形尺寸 Overall dimensions	包装尺寸 Packing dimensions	抽屉承载 Small drawer loading capacity	整体承载 Overall loading capacity	重量(净重) Net weight	重量(毛重) Gross weight	抽屉伸展 Drawer extension	材料厚度 Material thickness
FY718XL-MA	574x400x150 (mm)	574X400X72 (mm)	1080X725X1510 (mm)	1160X805X1560 (mm)	50kg	300kg	172kg	182kg	100%	1.0-2.0 (mm)
FY718XL-MB	574x400x150 (mm)	574X400X72 (mm)	1080X725X1510 (mm)	1160X805X1560 (mm)	50kg	300kg	147kg	157kg	100%	1.0-2.0 (mm)
FY718XL-MC	574x400x150 (mm)	574X400X72 (mm)	1080X725X1510 (mm)	1160X805X1560 (mm)	50kg	300kg	152kg	167kg	100%	1.0-2.0 (mm)

颜色选择 Color RAL 7040 RAL 7045 RAL 3005 RAL 5009 RAL 7012 RAL 9017 ……

移动式快速维修工具车

Mobile tool cabinets



FY719TP

技术参数 (Specifications)					
型号 Model	FY719TP	FY718TP	FY717TP	FY716TP	FY715TP
小抽屉尺寸 Small drawer size	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)	574x400x72 (mm)
大抽屉尺寸 Large drawer size	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)	574x400x150 (mm)
外形尺寸 Overall dimensions	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)	800x500x1020 (mm)
包装尺寸 Packing dimensions	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)	880x630x920 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	65kg	65kg	65kg	65kg	65kg
整体承载 Overall loading capacity	450kg	450kg	450kg	450kg	450kg
重量（净重） Net weight	81kg	79kg	77kg	60kg	58kg
重量（毛重） Gross weight	91kg	89kg	87kg	70kg	68kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%
材料厚度 Material thickness	1.0–1.5(mm)	1.0–1.5(mm)	1.0–1.5(mm)	1.0–1.5(mm)	1.0–1.5(mm)
颜色选择 Color	RAL 7040 / RAL 7045 / RAL 3000 / RAL 5009 / RAL 7012 / RAL 9017 ……				

附带折叠托盘 拓展更多使用空间

With a folding tray for more flexible use of space

※附带折叠托盘，拓展更多使用空间。
※工业级品质，整车承重可达800公斤以上，抽屉可增可减多区收纳，使用方便。
※2个定向轮2个万向轮带刹车，刹车片加厚 轴承螺丝加粗，刹车很平稳不溜车。
※双排加粗导轨，开关采用缓冲设计，抽屉承载可达50kg以上。
※工具车侧板开孔设计可增加挂钩，使工具灵活悬挂。
※多功能工作面盖采用一体注塑成型，耐腐蚀、抗划痕。

※With a folding tray for more flexible use of space..
※Industrial grade quality with a total load capacity of up to 800kg.The number of drawers can be customized to meet your needs for efficient tool organization.
※Heavy-duty fixed and swivel casters with thickened brake pads and sturdy ball bearings provide smooth and effective braking
※Double thickened slides with cushioned opening and closing design.Over 50kg load per drawer
※Both side panels have a pegboard design that can be used with pegboard hooks to save space while keeping items organized.
※One-piece injection-molded tabletop is corrosion and scratch resistant




附带折叠托盘，拓展更多使用空间。
With a folding tray for more flexible use of space..



工具车侧边配带油槽(选购)
Optional storage bin is available (optional)



选用重型可承载450kg,双向刹车脚轮
Heavy duty casters with two-way brakes and loading capacity of 450kg



配有模具一次成型的通用长短工具挂钩
Complete with an assortment of hooks for use with the metal pegboards



FY718TP



FY717TP



FY716TP




FY715TP




技术参数 Specifications						
型号 Model	FY717	FY716	FY715	FY714	FY713	FY712
小抽屉尺寸 Small drawer size	574x400x72（mm）	574x400x72（mm）	574x400x72（mm）	574x400x72（mm）	574x400x72（mm）	574x400x72（mm）
大抽屉尺寸 Large drawer size	574x400x150（mm）	574x400x150（mm）	574x400x150（mm）	---------	---------	---------
外形尺寸 Overall dimensions	800x500x1020（mm）	800x500x1020（mm）	800x500x1020（mm）	800x500x1020（mm）	800x500x1020（mm）	800x500x1020（mm）
包装尺寸 Packing dimensions	880x630x920（mm）	880x630x920（mm）	880x630x920（mm）	880x630x920（mm）	880x630x920（mm）	880x630x920（mm）
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
整体承载 Overall loading capacity	450kg	450kg	450kg	450kg	450kg	450kg
重量(净重) Net weight	62kg	60kg	58kg	54kg	51kg	48kg
重量(毛重) Gross weight	72kg	70kg	68kg	64kg	61kg	58kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%	100%
材料厚度 Material thickness	1.0-1.2（mm）	1.0-1.2（mm）	1.0-1.2（mm）	1.0-1.2（mm）	1.0-1.2（mm）	1.0-1.2（mm）
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 ……

技术参数 Specifications						
型号 Model	FY707	FY706	FY705	FY704	FY703	FY702
小抽屉尺寸 Small drawer size	574x400x72（mm）	574x400x72（mm）	574x400x72（mm）	574x400x72（mm）	574x400x72（mm）	574x400x72（mm）
大抽屉尺寸 Large drawer size	574x400x150（mm）	574x400x150（mm）	574x400x150（mm）	---------	---------	---------
外形尺寸 Overall dimensions	800x470x980（mm）	800x470x980（mm）	800x470x980（mm）	800x470x980（mm）	800x470x980（mm）	800x470x980（mm）
包装尺寸 Packing dimensions	865x550x900（mm）	865x550x900（mm）	865x550x900（mm）	865x550x900（mm）	865x550x900（mm）	865x550x900（mm）
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
整体承载 Overall loading capacity	350kg	350kg	350kg	350kg	350kg	350kg
重量(净重) Net weight	53kg	50kg	48kg	46kg	43kg	40kg
重量(毛重) Gross weight	63kg	60kg	58kg	56kg	53kg	50kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%	100%
材料厚度 Material thickness	0.8-1.0（mm）	0.8-1.0（mm）	0.8-1.0（mm）	0.8-1.0（mm）	0.8-1.0（mm）	0.8-1.0（mm）
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 ……





装有独立防盗锁.保证工具安全
Equipped with independent burglar lock. Guarantee the safety of the tool



采用重型叠加式自吸滑轨，延长使用寿命，防止抽屉自动打开，保证使用安全
with heavy duty stacked self-priming slides to prolong service life and prevent the drawers from accidentally opened



选用重型可承载450kg双向刹车脚轮
Heavy duty casters with two-way brakes and a loading capacity of 450kg



工具车侧边配带油壶槽
With a holder at the side




扶手与工具车面盖采用一次性注塑成型，精美耐用；
The handle and top cover are formed by one-step injection molding, exquisite and durable.



选用重型可承载600kg双向刹车脚轮
Heavy duty casters with two-way brakes and a loading capacity of 600kg



侧边的网孔扩展了工具车使用功能
The pegboard on one side extends the trolley's functions



采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开。
With heavy duty stacked ball-bearing slides,the drawer can be opened to its full length and service life is prolonged.

6系列工具车
6-SERIES TOOL CABINETS

※ 整个工具车的框架无任何焊点，全部一次性组装合成，从而提高了产品的质量和稳定性；
※ 整个工具车采用铝膜防锈镀锌材料，品质无与伦比；
※ 扶手与工具车面盖采用一次性注塑成型，精美耐用；
※ 每个抽屉都装有防倾斜独立自锁系统，可防止抽屉自动打开，保证了使用安全；
※ 抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开；

※ There are no welding spot on the entire cabinet frame and the cabinet is assembled at a time which ensures the quality and stability of the cabinet.
※ The entire cabinet is made of galvanized antirust materials with aluminium film.
※ The handle and top cover are formed by one-step injection molding, exquisite and durable.
※ Complete with safety lock system for each drawer to prevent the drawers from accidentally opened.
※ With heavy duty stacked ball-bearing slides, the drawer can be opened to its full length and service life is prolonged.



技术参数 Specifications						
型号 Model	FY618	FY617	FY616	FY615	FY613	FY612
小抽屉尺寸 Small drawer size	585x400x70 (mm)	585x400x70 (mm)	585x400x70 (mm)	585x400x70 (mm)	585x400x70 (mm)	585x400x70 (mm)
大抽屉尺寸 Large drawer size	585x400x150 (mm)	585x400x150 (mm)	585x400x150 (mm)	585x400x150 (mm)	585x400x150 (mm)	---------
外形尺寸 Overall dimensions	910x500x1000 (mm)	910x500x1000 (mm)	910x500x1000 (mm)	910x500x1000 (mm)	910x500x1000 (mm)	910x500x1000 (mm)
包装尺寸 Packing dimensions	1000x630x1020 (mm)	1000x630x1020 (mm)	1000x630x1020 (mm)	1000x630x1020 (mm)	1000x630x1020 (mm)	1000x630x1020 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
整体承载 Overall loading capacity	350kg	350kg	350kg	350kg	350kg	350kg
重量(净重) Net weight	63kg	60kg	57kg	54kg	50kg	47kg
重量(毛重) Gross weight	73kg	70kg	77kg	64kg	60kg	57kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%	100%
材料厚度 Material thickness	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)	1.0-1.2 (mm)
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 .....






每个抽屉都装有防倾斜独立自锁系统，可防止抽屉自动打开，保证了使用安全；
Complete with safety lock system for each drawer to prevent the drawers from accidentally opened.



扶手与工具车面盖采用一次性注塑成型，精美耐用；
The handle and top cover are formed by one-step injection molding, exquisite and durable.



工具车上盖采用不锈钢材料,坚固耐用、表面更容易清洁
The top tray is made of stainless steel, firm, durable and easy to clean.


FY618


FY617


FY616

6系列工具车
6-SERIES TOOL CABINETS

Mobile tool cabinets

移动式快速维修工具车

技术参数 (Specifications)						
型号 Model	FY607	FY606	FY605	FY604	FY603	FY602
小抽屉尺寸 Small drawer size	570x400x72 (mm)	570x400x72 (mm)	570x400x72 (mm)	570x400x72 (mm)	570x400x72 (mm)	570x400x72 (mm)
大抽屉尺寸 Large drawer size	570x400x150 (mm)	570x400x150 (mm)	570x400x150 (mm)	---------	---------	---------
外形尺寸 Overall dimensions	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)	800x470x980 (mm)
包装尺寸 Packing dimensions	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)	865x550x900 (mm)
小抽屉承载 Small drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
大抽屉承载 Large drawer loading capacity	50kg	50kg	50kg	50kg	50kg	50kg
整体承载 Overall loading capacity	350kg	350kg	350kg	350kg	350kg	350kg
重量(净重) Net weight	51kg	48kg	45kg	35kg	33kg	30kg
重量(毛重) Gross weight	61kg	58kg	55kg	45kg	43kg	40kg
抽屉伸展 Drawer extension	100%	100%	100%	100%	100%	100%
材料厚度 Material thickness	0.8-1.0 (mm)	0.8-1.0 (mm)	0.8-1.0 (mm)	0.8-1.0 (mm)	0.8-1.0 (mm)	0.8-1.0 (mm)
颜色选择 Color	RAL 7040	RAL 7045	RAL 3000	RAL 5009	RAL 7012	RAL 9017 ……





扶手与工具车面盖采用一次性注塑成型，精美耐用；
The handle and top cover are formed by one-step injection molding, exquisite and durable.



工具车面盖设计有螺丝刀放置孔
Table top is designed with mounting holes to hold screw drivers



侧边的网孔扩展了工具车使用功能
The pegboard on one side extends the trolley's functions.



选用重型可承载350kg的脚轮
Heavy duty casters with a loading capacity of 350kg.



FY607



FY606



FY605

5系列工具车
5-SERIES TOOL CABINETS

移动式快速维修工具车
Mobile tool cabinets



FY504

功 能 特 点

※整个工具车的框架无任何焊点，全部一次性组装合成，从而提高了产品的质量和稳定性；
※整个工具车采用镀膜防锈镀锌材料，品质无与伦比；
※扶手与工具车面盖采用一次性注塑成型，精美耐用；
※每个抽屉都装有自吸轨道，可防止抽屉自动打开，保证了使用安全；
※抽屉采用重型叠加式滚珠滑轨延长使用寿命，加长了伸展距离，使抽屉能100%拉开；

Features

※ There are no welding spot on the entire cabinet frame and the cabinet is assembled at a time which ensures the quality and stability of the cabinet.
※ The whole tool cabinet used antirust coated galvanizing material,incomparable high quality
※ The handle and top cover are formed by one-step injection molding, exquisite and durable.
※ Each drawer is equipped with a self-back slide rail , which prevents the drawers from opening automatically and ensures safe use.
※ With heavy duty stacked ball-bearing slides, the drawer can be opened to its full length and service life is prolonged.



FY503



FY503L



FY504L



装有独立防盗锁.保证工具安全
Equipped with independent burglar lock. Guarantee the safety of the tool



侧边的网孔扩展了工具车使用功能
The pegboard on one side extends the trolley's functions.



工具车上盖采用模具一次成型,坚固耐用、表面更容易清洁
The one-time molded top tray is reinforced and easy to clean.

技术参数 (Specifications)

型 号 Model	小抽屉尺寸 Small drawer size	外形尺寸 Overall dimensions	包装尺寸 Packing dimensions	小抽屉承载 Small drawer loading capacity	整体承载 Overall loading capacity	重量(净重) Net weight	重量(毛重) Gross weight	抽屉伸展 Drawer extension	材料厚度 Material thickness
FY503	574x400x72 (MM)	800x500x1000 (mm)	770x570x910 (mm)	50kg	350kg	37kg	47kg	100%	0.8–1.0 (mm)
FY503L	574x400x72 (MM)	800x500x1000 (mm)	770x570x910 (mm)	50kg	350kg	40kg	50kg	100%	0.8–1.0 (mm)
FY504	574x400x72 (MM)	800x500x1000 (mm)	770x570x910 (mm)	50kg	350kg	40kg	57kg	100%	0.8–1.0 (mm)
FY504L	574x400x72 (MM)	800x500x1000 (mm)	770x570x910 (mm)	50kg	350kg	43kg	60kg	100%	0.8–1.0 (mm)

RAL 7040 RAL 7045 RAL 9005 RAL 5009 RAL 7012 RAL 9017 ……

第三代系统化轮胎快修专用工具车
THE THIRD GENERATION OF TIRE REPAIR TOOL TROLLEY

FY-TECH为各品牌轿车量身定做的系统化轮胎快修专用工具

Automobile maintenance equipment designed by FY-TECH for various types of cars

FY-1030



采用全不锈钢材料制作，寿命长达10年以上。
All made of stainless steel and with a service life of up to 10 years.

系统化操作
Systematic operation



省时省力、准确安全、灵活方便等全方位操作优势，让您节省70%工作时间，赢得更多的利润。

A range of operating advantages including time and energy saving, accurate and safe, flexible and convenient - cut your working time by up to 70% and increase your profits.

技术参数 (Specifications)		
型号	Model	FY-1030
胎架升起高度	Rising height	1200mm
胎架离地高度	Height above ground	500mm
最大拆装轮胎直径	Max tire diameter	790mm
最小拆装轮胎直径	Min tire diameter	490mm
工作气压	Working pressure	1-5kg/m²
最大载荷	Max load	70kg
重量	Weight	65kg
外形尺寸	Dimensions	820x800x1120mm

高端的品质和独特的性能，能为您节省70%工作时间
A high quality machine with unique properties that can cut your working time by up to 70%.

全自动化控制系统
Fully automatic control system



人性化设计自动升降控制系统，能准确快速的定位，操作更安全。

Automatic up and down control system with user friendly design for quick, precise and safe operation.

刹车油更换器
Brake fluid changer



可选配刹车油更换器，采用自动吸引刹车油工作方式，方便清洁高效。

Optional brake fluid changer can automatically collect brake fluid - convenient, clean and efficient.

工具摆放架
Tool shelves



设计有多层工具摆放架，内部铺有软垫，防止工具滑落。

Designed with multi-layer tool shelves covered with soft mats to prevent tools from slipping.

数字化轮胎充气表
Digital tire inflation indicator



可选购高精度液晶数字轮胎充气表，具有压力传感器，准确性强。

Optional high precision LCD tire inflation indicator which is equipped with an accurate pressure transducer.

调压表
Pressure regulator



根据所使用的工具的不同，调节供给气源的压力值。

Adjust the pressure of gas supply according to the different tools.

气动扳手
Air wrench



可选配的气动扳手结构精巧，功率大、效率高、用途广。

Optional high precision LCD tire inflation indicator is equipped with an accurate pressure transducer.

刹车器
Brake



设计有定位刹车，能方便的让工具车360度转动

Designed with a positioning brake which allows the trolley to rotate 360°.

快速接头
Quick adaptors



配有多个快速接头，方便您使用各种气动工具。

Various adaptors for easy use with pneumatic tools.

轮胎架
Tire holder



简单化设计，设有刹车功能的轮子，轻便的移动及定位轮胎架（选购）

Tire holder has a simple design with wheels and brakes that allows easy movement and accurate placement. (Optional)


WORKBENCH

WORKBENCH
工作台系列

桌板材质选购请注明型号
Please specify models of table materials when ordering



不锈钢桌板
Stainless Steel Tabletop



防静电桌板
Anti-static Tabletop




原木桌板
Log Tabletop



不同的用途可选用合适的材质（订货时注明型号不锈钢桌板S、防静电桌板R、原木桌板W）
不同的用途可选购加背挂板（订货时注明型号带灯挂板D、不带灯挂板H）

Different table materials are available as options for different uses (specify models when ordering: S for stainless steel, R for anti-static and W for log).
Different peg boards are available as options for different uses (specify D for pegboard with light and H for pegboard without light).

型号 MODE FY-824SH
S为桌板型号 H为背板型号
S is table top model H is pegboard mode







重型机修工作台

重型机修工作台可配挂板、上架、挂钩及机修工具，组合各种不同用途之工作台，
并可依据客户需求设计；打造特殊用途工作台，有效提高工作效率。
适用于：维修厂、4S店、组装厂、模具厂、机械厂及一般工厂使用。

Heavy-duty Repair Workbench

Heavy-duty repair workbenches can be equipped with pegboards, shelves, hooks and tools, combining various purposes.
It can be designed according to customer requirements for special purposes to improve working efficiency.
Suitable for garages, 4S shops, assembly plants, mould factories, machinery factories and general factories.

带挂板工作台
Workbenches with Pegboards

颜色选择 Color RAL 7040 RAL 7045 RAL 3000 RAL 5009 RAL 7012







配有移动方便的挂钩可任意改变工具位置。
带有工具搁板，方便放置工具。
Hooks can be moved conveniently on the pegboard to hold different tools.Complete with a tool shelf for placing different tools conveniently



不锈钢桌板
Stainless Steel Tabletop



防静电桌板
Anti-static Tabletop




原木桌板
Log Tabletop

桌板材质选购请注明型号
Please specify models of table materials when ordering
不同的用途可选购加背挂板
Different peg boards are available as options for different uses (specify D for pegboard with light and H for pegboard without light).



型号	材料	规格
Model	Material	Dimension
FY-800ESH	不锈钢板Stainless Steel	1512x812x1430(mm)
FY-800ERH	防静电板Anti-static	1500x800x1455(mm)
FY-800EWH	原木桌板Log Tabletop	1500x800x1455(mm)



型号	材料	规格
Model	Material	Dimension
FY-811SH	不锈钢板Stainless Steel	1500x750x1475(mm)
FY-811RH	防静电板Anti-static	1500x750x1500(mm)
FY-811WH	原木桌板Log Tabletop	1500x750x1500(mm)



型号	材料	规格
Model	Material	Dimension
FY-812SH	不锈钢板Stainless Steel	1500x750x1475(mm)
FY-812RH	防静电板Anti-static	1500x750x1500(mm)
FY-812WH	原木桌板Log Tabletop	1500x750x1500(mm)




型号	材料	规格
Model	Material	Dimension
FY-824SH	不锈钢板Stainless Steel	1500x750x1475(mm)
FY-824RH	防静电板Anti-static	1500x750x1500(mm)
FY-824WH	原木桌板Log Tabletop	1500x750x1500(mm)



型号	材料	规格
Model	Material	Dimension
FY-825SH	不锈钢板Stainless Steel	1500x750x1475(mm)
FY-825RH	防静电板Anti-static	1500x750x1500(mm)
FY-825WH	原木桌板Log Tabletop	1500x750x1500(mm)



型号	材料	规格
Model	Material	Dimension
FY-826SH	不锈钢板Stainless Steel	1500x750x1475(mm)
FY-826RH	防静电板Anti-static	1500x750x1500(mm)
FY-826WH	原木桌板Log Tabletop	1500x750x1500(mm)







配有移动方便的挂钩可任意改变工具位置。
带有工具搁板，方便放置工具。
Hooks can be moved conveniently on the pegboard to hold different tools.Complete with a tool shelf for placing different tools conveniently



不锈钢桌板 Stainless Steel Tabletop　防静电桌板 Anti-static Tabletop　原木桌板 Log Tabletop

桌板材质选购请注明型号
Please specify models of table materials when ordering
不同的用途可选购加背挂板
Different peg boards are available as options for different uses (specify D for pegboard with light and H for pegboard without light).

型号	材料	规格
Model	Material	Dimension
FY-801H ES	不锈钢板 Stainless Steel	1512x812x1878(mm)
FY-801H ER	防静电板 Anti-static	1512x800x1900(mm)
FY-801H EW	原木桌板 Log Tabletop	1512x800x1900(mm)
特殊尺寸可订制 Different specifications are available as user's request		



型号	材料	规格
Model	Material	Dimension
FY-800VS	不锈钢板 Stainless Steel	1570x700x800(mm)




型号	材料	规格
Model	Material	Dimension
FY-800LS	不锈钢板 Stainless Steel	1900x910x780(mm)



型号	材料	规格
Model	Material	Dimension
FY-800ES	不锈钢板 Stainless Steel	1512x812x780(mm)
FY-800ER	防静电板 Anti-static	1500x800x805(mm)
FY-800EW	原木桌板 Log Tabletop	1500x800x805(mm)

加强脚柱适合重型机修使用
Strengthened table legs for placing heavy machines on.



不锈钢工作台周边带挡油板
Oil baffle plate on the edge of the table.



配有标准工具抽屉
Equipped with a drawer for tools.




可选择不同的材质
Different tabletop materials are available





不锈钢桌板 Stainless Steel Tabletop



防静电桌板 Anti-static Tabletop



原木桌板 Log Tabletop

颜色选择 Color



不同的用途可选用适合的材质（订货时注明型号不锈钢S、防静电板R、原木桌板W）
不同的用途可选购加背挂板（订货时注明型号带灯挂板D、不带灯挂板H）

Different table materials are available as options for different uses (specify models when ordering: S for stainless steel, R for anti-static and W for log).
Different peg boards are available as options for different uses (specify D for pegboard with light and H for pegboard without light).





工具车装有先进的中控锁系统
Equipped with advanced central locking system.



每个抽屉都装有独立的防倾斜自锁系统，保证了使用安全.
Each drawer is equipped with independent anti-tilt self-locking system, ensuring secure use.



型号	材料	规格
Model	Material	Dimension
FY-811S	不锈钢板 Stainless Steel	1500x750x825(mm)
FY-811R	防静电板 Anti-static	1500x750x850(mm)
FY-811W	原木桌板 Log Tabletop	1500x750x850(mm)



型号	材料	规格
Model	Material	Dimension
FY-812S	不锈钢板 Stainless Steel	1500x750x825(mm)
FY-812R	防静电板 Anti-static	1500x750x850(mm)
FY-812W	原木桌板 Log Tabletop	1500x750x850(mm)



型号	材料	规格
Model	Material	Dimension
FY-813S	不锈钢板 Stainless Steel	1500x750x825(mm)
FY-813R	防静电板 Anti-static	1500x750x850(mm)
FY-813W	原木桌板 Log Tabletop	1500x750x850(mm)



型号	材料	规格
Model	Material	Dimension
FY-824S	不锈钢板 Stainless Steel	1500x750x825(mm)
FY-824R	防静电板 Anti-static	1500x750x850(mm)
FY-824W	原木桌板 Log Tabletop	1500x750x850(mm)




型号	材料	规格
Model	Material	Dimension
FY-825S	不锈钢板 Stainless Steel	1500x750x825(mm)
FY-825R	防静电板 Anti-static	1500x750x850(mm)
FY-825W	原木桌板 Log Tabletop	1500x750x850(mm)



型号	材料	规格
Model	Material	Dimension
FY-826S	不锈钢板 Stainless Steel	1500x750x825(mm)
FY-826R	防静电板 Anti-static	1500x750x850(mm)
FY-826W	原木桌板 Log Tabletop	1500x750x850(mm)

不锈钢重型机修专用工作台
Heavy-duty Stainless Workbench for Mechanical Repair





配有标准工具抽屉
Equipped with standard tool drawer




可选择不同的材质
Different tabletop materials are available

型 号	材 料	规 格
Model	Material	Dimension
FY-810ES	不锈钢板 Stainless Steel	1512x812x780(mm)
FY-810ER	防静电板 Anti-static	1500x800x805(mm)
FY-810EW	原木桌板 Log Tabletop	1500x800x805(mm)


特殊尺寸可订制 Different specifications are available as user's request

不锈钢带流油槽重型机修专用工作台
Heavy-duty Stainless Steel Workbench with Oil Collecting Gutter





配有不锈钢污油收集槽
Equipped with stainless steel tank to collect wasted oil



不锈钢工作台周边带流油槽
Tabletop surrounded completely by oil collecting gutter

型 号	材 料	规 格
Model	Material	Dimension
FY-810LS	不锈钢板 Stainless Steel	1900x910x795(mm)

特殊尺寸可订制 Different specifications are available as user's request

重型发动机维修工作台
Heavy-duty Engine Repair Workbench



不锈钢工作台周边带流油槽
Tabletop surrounded completely by oil collecting gutter



发动机总成与翻转架通过螺栓连接，牢固，可靠。
The engine assembly is bolted to the engine stand firmly and reliably.




型 号	材 料	规 格
Model	Material	Dimension
FY-8150S	不锈钢板 Stainless Steel	1514x830x860(mm)

特殊尺寸可订制 Different specifications are available as user's request

不锈钢重型机修专用工作台
Heavy-duty Stainless Workbench for Mechanical Repair



选用重型可承载450kg双向刹车脚轮及中间隔板（选购）
Heavy-duty with two-way brake,bearing 450kg.Lower crossbar is available (Optional).



配有移动方便的挂钩可任意改变工具位置。带有工具搁板，方便放置工具（选购）
Designed with a pegboard and equipped with hooks, it is easy to organise and quickly find your tools and accessories.The wall mounted shelf is available (Optional).



加强脚柱适合重型机修使用
Reinforced table legs to support heavy machinery



不锈钢工作台周边带挡油板
Stainless steel workbench surrounded by oil barrier



型号	材料	规格
Model	Material	Dimension
FY-530A	不锈钢板 Stainless Steel	1514x830x860(mm)



型号	材料	规格
Model	Material	Dimension
FY-530AH	不锈钢板 Stainless Steel	1514x830x1450(mm)



型号	材料	规格
Model	Material	Dimension
FY-530BH	不锈钢板 Stainless Steel	1514x830x1450(mm)

移动式快速维修工具车
Mobile tool cabinets



FY-810XW

FY-811XW

S 不锈钢板 Stainless Steel
R 防静电板 Anti-static
W 原木桌板 Log Tabletop

可选择不同的材质
Different tabletop materials are available

高承重钢架工艺
优质冷轧钢板/进口激光设备切割/先进生产工艺

HIGH LOAD BEARING STEEL FRAME TECHNOLOGY
High Quality Cold-Rolled Steel Plate/Imported Laser Cutting Equipment /Advanced Production Process

※结构稳固，优选材质，品质值得信赖。
※高承重框架工艺，精工一体折弯成型，每一处细节都是匠心所致。
※台面光滑，不易变形，强度高。
※重型抽屉，采用冷钢锻造，有效整理空间分类。
※ Solid structure, preferred materials, and reliable quality.
※ High load-bearing frame construction and refined one-piece bending molding.Every detail shows expert craftsmanship
※ Sturdy, high-strength and smooth bench top with high resistance to deformation.
※ Heavy-duty drawers forged from cold steel for effective organization of space classification

整体规格定制 Customized overall specifications
组合样式定制 Customized combination design
台面材质定制 Customized table top material
颜色搭配定制 Customized color matching
均载承重定制 Customized load capacity
柜体组合定制 Customized cabinet combination

型 号	材 料	规 格
Model	Material	Dimension
FY-810XS	不锈钢板 Stainless Steel	1608 x540x890mm
FY-810XR	防静电板 Anti-static	1608 x540x890mm
FY-810XW	原木桌板 Log Tabletop	1608 x540x890mm
特殊尺寸可订制 Different specifications are available as user's request		

型 号	材 料	规 格
Model	Material	Dimension
FY-811XS	不锈钢板 Stainless Steel	1608 x540x890mm
FY-811XR	防静电板 Anti-static	1608 x540x890mm
FY-811XW	原木桌板 Log Tabletop	1608 x540x890mm
特殊尺寸可订制 Different specifications are available as user's request		

重型机修工作台
Heavy-duty Mechanical Repair Workbench



FY-8210ES

一体折弯成型 高承重桌架
易安装/易拆卸/可调节/可定制/高承重/防变形

One-piece bending molding High-load table frame
Easy to assemble / Easy to disassemble / Adjustable / Customizable / High load-bearing / Anti-deformation

※工作台材质采用优质冷轧钢板，高品质不锈钢台面，可使工作桌台面均匀承重达到1500kg
※工作台框架牢固平稳，可配合工具柜，挂板，单开门柜使用。
※抽屉承重大，性能好，抽屉里可根据需求配置分隔条。
※适用于汽车维修、工业车间、实验室、工作间、、、、、、
※ The material of workbench is made of high quality cold-rolled steel plate and high quality stainless steel table top, which can make the table top evenly load up to 1500kg.
※ The frame of workbench is solid and stable, which can be used with tool cabinet, pegboard and single door cabinet.
※ The drawer has high load capacity and good performance, and the drawer can be configured with dividers as per demand.
※ Suitable for auto repair, industrial workshop, laboratory, workroom..etc

型 号	材 料	规 格
Model	Material	Dimension
FY-8210ES	不锈钢板 Stainless Steel	1800x750x800mm
FY-8210ER	防静电板 Anti-static	1800x750x800mm
FY-8210EW	原木桌板 Log Tabletop	1800x750x800mm
特殊尺寸可订制 Different specifications are available as user's request		

坚固耐用
承重超乎你想象


Sturdy and durable.The loading capacity is more than you can imagine



不锈钢桌板
Stainless Steel Tabletop



防静电桌板
Anti-static Tabletop



原木桌板
Log Tabletop

模块化设计的工作台-在这里，
灵活性是关注的焦点:
无论是窄的、宽的、矮的、高的，还是可以动的。可以配套多样的模块选择。
只有想不到，没有做不到!

Modular design of workstations - where flexibility is the focus: whether it is narrow or wide, short or high or movable. A wide range of modules can be used to design your workstation according to your actual needs. A variety of functions are available for you to choose.
If you can imagine it,we can make it.



抽屉:带有Delrin100材质的滚轮-承重量最大100kg。抽屉内壁开槽，可以进行分隔。

Drawers: with rollers made of Delrin 100 - load capacity up to 100kg. Drawer inner walls are slotted for partitions,enabling optimum usage of the drawer space.



FY-8215EW



桦木复合板，不变形，防水且涂有清漆。
Beech wood laminate, non-deforming, waterproof and varnished.



Eluplan，塑料饰面具有全面的ABS封边。
Eluplan plastic covering with full ABS edge band.

锁具系统:圆筒销子锁配有5个销子固定件模式化的插销设计兼容电子锁具系统。
Locking system: Cylinder pin lock with the design of 5 variable pin settings,compatible with electronic locking system.



FY-8216EW

通过螺纹连接机构，可以将支脚架连接起来，以形成一个整体的组装单元。
By the screwed connection,the legs can be connected to form an assembled unit as a whole.

FY-TECH

Note book

Note book

Http：//www. zhfeiying. com
E–mail：zhfy–001@vip. 163. com